WATER WELL RECORD (WWC-5)

From 21 ft. to 100 ft.

From _____ ft. to _____ ft.

Gravel pack not used: ☐ Gravel size _____ in

Constructed

KOLAR DOC ID/ 1637237 WELL ID

| with the second | F WATER WELI | A SECTION OF STREET | -97.471 | 910 Secti | 3 1 | Township | 27 | Range | 1 JE | Fraction | NE ¼ | SE ¼ | NW ¼ | |
|---|---------------------|-----------------------------|--|--|--|-----------|-------------|-------------------------------|--|---|-----------|----------|----------|--|
| Letitude | 37.660110 | Longitude | | | 464 | wick | | <u> I:</u> | | | | | | |
| Datum WGS84 Elevation 1335 | | | WELL WAT | <u> </u> | | | | NEAREST S | OURCE OF | POTENTI | L CONT | OITANIMA | | |
| ATER WELL | | | | Domestic | | arden | | | Source: S | ewer lines |) | | | |
| Name Robert Daniels | | | | | aruen | | | | | Dire | ction | w | | |
| Business | | | | COMPLETION | | | | | Distance from well: Direction W from well: W | | | | | |
| 11261 W Carr Ct | | | Depth of completed well:100_ft. Depth(s) groundwater encountered: | | | | | Source description: | | | | | | |
| Address Wichita Kans 67209 | | | | | | | | | | | | | | |
| | | | | (1) 30 ft.; (2) ft.; | | | | | Source: Direction | | | | | |
| Well location | | | | | dry well | | | Distance Direction from well: | | | | | | |
| | | | ļ | Static water | er level in | well:30_1 | t. | | Source | | | | | |
| At owner address | 8 | | | | ✓ measured below land surface | | | | | description: | | | | |
| | | | | 1 ' | on (mm/dd/yy): | | | | | ☐ No potential source of contamination | | | | |
| ONSTRUC | | Borehole dia | | | measured above land surface on (mm/dd/yy): | | | | | within 100 feet. PERMIT & ID NUMBERS (AS REQUIRED) | | | | |
| Borehole in | | | 1 | | | | | | PERMIT & | ID NUMBI | :K5 (A5 R | EQUIKE | <u> </u> | |
| from 0 to 100 ft. 11 in. | | | Estimated yield: 25 gpm | | | | | DWR Application No.: | | | | | | |
| fromtoftin. | | | | water lev | Water level was:ft. afterhours pumpinggpm | | | | | KDHE / EPA Project Code: | | | | |
| - | ght above land s | | 18 in. | Pump installed? Yes No | | | | | Site Name: | | | | | |
| If casin | g height is less t | han 12 in. proved?* □ Ve | s i⊟ No | Pump instance: Li les Li lo | | | | | KDHE UIC Class V Form Completed: Yes 1 | | | | | |
| has a variance been approved?* ☐ Yes ☐ No *variance not required for monitoring | | | | Water well disinfected? ✓ Yes ☐ No | | | | | County Permit Yes No Permit 133 | | | | | |
| or environmental remediation wells | | | Date disi | Date disinfected (mm/dd/yy): | | | | | | | | | | |
| Casing type: ThermalPlastic | | | Aquifer | f known: | | | | # of bore | holes: | _ # of d | ewatering | g wells: | | |
| Blank casing interval: 0 ft. to 80 ft. | | | | Aquifer, if known: LITHOLOGIC LOG | | | | | L | | | | | |
| Blank casing diameter: 5 in. Casing joints: Glued | | | | FROM TO LITHOLOGY INTERVALS | | | | | | | | | - | |
| | | | | | | Attached | | | | | | | | |
| | i:inickness or gaug | | 4 | Attache | Attache | | | | | | | | | |
| | ng interval: | | | | | | | | dia ma | and the same | · Santa | | | |
| | ng diameter: | | | | | | | 1 | | - | | | | |
| | joints: | | | | | | | | | | *64 | * | | |
| | t: | | | | | | | | Section was served | 70-7 - | - | | | |
| | hickness or gau | | | | | - | | | | | | | | |
| Growt inte | erval: 1 ft | to 21 ft | | 1 | | | | | | | | | | |
| Grout | material: E | Sentonite | | | | | | | | | | | | |
| Grout material: Bentonite Grout interval: ft. toft. | | | | | | | | | | | | | | |
| Grout material: | | | | COMMENTS | | | | | | | | | | |
| | | | | 1 | | | | | | | | | | |
| Screen / p | erforation mate | rial: P\ | /C | | | | | | | | | | | |
| Screen / p | erforation oper | nings: Mil | l slot | CONTRA | CTOR'S | RLANDOWN | RS CE | RTIFICATIO | N | | | otad | ter wall | |
| Screen / perforation intervals: | | | | This water well was constructed reconstructed pursuant to the stated water well pursuant to the stated water well pursuant to the stated water well pursuant to the stated water well | | | | | | | | | | |
| From 80 ft. to 100 ft. | | | | contractor's license and was completed on 03/29/2022. I certify that this record is true to | | | | | | | | | | |
| Slot size unit | | | the best of my knowledge and belief. This water well record was completed on | | | | | | | | | | | |
| Fromft. toft. | | | | under the business name of Premier Pump & Well Service, Inc. #238 | | | | | | | | | | |
| Slot size unit | | | | Kansas Water Well Contractor's License No. 238 under the authority of the designated | | | | | | | | | | |
| Gravel pack intervals: | | | | person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the | | | | | | | | | | |
| Gravel pack not used: Gravel size in | | | | designated person at its submittal: Jerad Stroot | | | | | | | | | | |

designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

1052884904

| Form | WWC5.2 - Water Well Record | |
|------------|--|--|
| Doc ID | 1637237 | |
| Well Owner | Robert Daniels | |
| Contractor | Premier Pump & Well Service, Inc. #238 | |

Lithology

| | | • |
|----|-----|------------------------|
| 0 | 3 | topsoil |
| 3 | 19 | clay,brown |
| 19 | 32 | sand,fine |
| 32 | 49 | clay,other,blue |
| 49 | 67 | sand,fine |
| 67 | 75 | sand,fine to medium |
| 75 | 85 | clay,brown |
| 85 | 96 | sand,fine to medium |
| 96 | 100 | sand,fine,clayey,brown |

RECEIVED

MAY 2 0 2022

KS GEOLOGICAL SURVEY

RECEIVED

APR 1 1 2022

BUREAU OF WATER

WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

| OCATION OF WATER WEL | .L | | | | | Original Re | ecord | d Co | rrection | Chang | e in We | ll Use | |
|---|--------------|--------|-----------------------------------|------------------------|------------------------|-----------------|--------------|---|---------------|--------------------|------------|--------|--|
| Latitude | Longitude | | S | ection | Township | Rai | nge | E | Fraction | 1/4 | 1/4 | 1/4 | |
| Datum | Elevation | | | County | | | | VV | | | | | |
| WATER WELL OWNER | | | | /ATER USI | | | | NEARESTS | OURCE OF | POTENTIAL C | ONTAMIN | OITAL | |
| Name | | | | | | | | | | | | ., | |
| | | | COMPI | FTION | | | | Dictance | | Direction | n | | |
| Business | | | COMPL | EHON | | | | from well: | | from wel | il: | | |
| Address | | | | | ed well: | | | Source | | | | | |
| | | | 1 1 | | water encountered | ! | | descriptio | | | | | |
| 747 11 1 | | | | | (2) ft.; | | | Source: | | | | | |
| Well location | | | (3) | ft.; | (4) dry well | | | Distance from wells | | Direction from wel | n II. | | |
| at owner's | | | Static v | vater level | in well: | ft. | | Source | | nom we | | | |
| address | | | | | ow land surface | | description: | | | | | | |
| CONSTRUCTION | | | | (mm/dd/y | _ | | - | No not | tential sour | ce of contami | nation | | |
| Borehole interval: | Borehole dia | meter: | 1 | asured abo (mm/dd/y | ve land surface v): | | | | 100 feet. | | | | |
| | | | | · | · | | = | PERMIT & | ID NUMBER | RS (AS REQUI | RED) | | |
| fromtoft. | | in. | | | gpm | , | | DIAZD A | aliontiae NT | | | | |
| fromto ft. | • | | Water | | ft. after | | | DWR Application No.: | | | | | |
| Casing height above land su | | in. | pumpinggpm Pump installed? Yes No | | | | | KDHE / EPA Project Code:Site Name: | | | | | |
| If casing height is less th has a variance been app | | s No | Pump | installed? | Yes No | | | | | | | N. | |
| *variance not required for | | | Water well disinfected? Yes No | | | | | KDHE UIC Class V Form Completed: Yes County Permit: Yes No Permit ID: | | | | | |
| or environmental reme | | | Date disinfected (mm/dd/yy): | | | | | Lease Name & Well #: | | | | | |
| Casing type: | | | | | | | _ | | | # of dewater | | | |
| Blank casing interval: | ft. to | ft. | Aquife | r, if known | : | | | " of borei | | # Of dewater | ing wens: | | |
| Blank casing diameter: | in. | | LITHOL | OGIC LOC | i | | | | | | | | |
| Casing joints: | | | FROM | то то | LITHOLOGY | NTERVALS | | | | | | | |
| Weight:lb | | | | | | | | | | | | | |
| Wall thickness or gauge | | | | | | | | | | | | | |
| Blank casing interval: | | ft. | | | | | | | | | | | |
| Blank casing diameter: | | | | | | | | | | | | | |
| Casing joints: | | | | | | | | | | | | | |
| Weight:lb | | | | | | | | | | | | | |
| Wall thickness or gauge | no.: | | | | | | | | | | | | |
| Grout interval: ft. to | oft. | | | | | | | | | | | | |
| Grout material: | | | | | | | | | | | | | |
| Grout interval: ft. to | oft. | | 601414 | -NITC | | | | | | | | | |
| Grout material: | | | COMMI | -1412 | | | | | | | | | |
| | | | | | | | | | | | | | |
| Screen / perforation material | | | | | | | | | | | | | |
| Screen / perforation opening | | | CONTR | ACTOR'S | OR LANDOWNER | S CERTIFICAT | ION | | | | | | |
| Screen / perforation interval | | | This w | ater well | was constructe | d recor | ıstruc | cted p | oursuant to | the stated w | ater well | | |
| Fromft. to | | | contra | ctor's lice | ense and was con | npleted on $_$ | | · | I certify th | at this recor | d is true | to | |
| Slot size unit | | | the be | st of my l | knowledge and b | elief. This wa | ater w | ell record | was comple | eted on | | | |
| From ft. to | _ | | under | the busin | ness name of | | | | | | | , | |
| Slot size unit | | | Kansa | s Water V | Vell Contractor's | License No. | | uı | nder the au | thority of th | e design: | ated | |
| Gravel pack intervals: | | | | | ed in K.A.R. 28- | | | | | - | _ | | |
| Gravel pack not used: | | in | 1 - | | son at its submitt | • | 0 | | , | | , | | |
| From ft. to | | | | | VATER WELL OW | | n ore | for your man | orde Eas of s | \$5.00 for and | construct | ad 1 | |
| Gravel pack not used: | | in | send on | с сору ю ч | | NER and retai | | • | | | CONSTRUCTO | u W | |
| From ft. to | ft. | | | Bureau | of Water, Geology | | | | | | 2-1367 | | |

| Form | WWC5.2 - Water Well Record |
|------------|--|
| Doc ID | 1637237 |
| Well Owner | Robert Daniels |
| Contractor | Premier Pump & Well Service, Inc. #238 |

Lithology

| From | То | Lithology Intervals |
|------|-----|------------------------|
| 0 | 3 | topsoil |
| 3 | 19 | clay,brown |
| 19 | 32 | sand,fine |
| 32 | 49 | clay,other,blue |
| 49 | 67 | sand,fine |
| 67 | 75 | sand,fine to medium |
| 75 | 85 | clay,brown |
| 85 | 96 | sand,fine to medium |
| 96 | 100 | sand,fine,clayey,brown |