<del></del>				Water Well Record	Form WWC-5	KSA 82a-1212		<b>T</b>
1 LOCA		TER WELL:	FRACTION			Section Number	<del></del>	Range Number
	Sedgy	***************************************	NE 1/4	SE 1/4 N	E 1/4	14	T 27 s	R 1W E/W
Distance and direction frem nearest town or city street address of well if located within city?								
4115 Memory Lane Wichita, Kansas								
WATER WELLOWNER: CRAIG, Eddie and Sherri								
1	RR#, ST. ADRESS, BOX#: 4115 Memory Lane					Board of Agriculture, Divivsion of Water Resource		
_	, STATE, ZII		nita, Kansa				er:	
	TE WELL'S I " IN SECTIO	OCATION WITH N BOX:		APGET DE WELL	29		LEVATION:	2
1		N		vater Encountered	1	ft.	2 ft. SURFACE MEASURED ON mo/day/yr	3 ft.
			WELL'S STATIC W Pump tes		rı. ater was		• •	08/23/1997
'	NW	NE	Est. Yield		ater was	ft. ft.	after hours pu after hours pu	
w Age	İ	' _	Bore Hole Diameter	OI .	0	ft.	and in.	-
ΞM		E	WELL WATER	SECUSED AS: 5	Public water			Injection well
1.			1 Domestic		Oil field wa		•	Other (Specify below)
	SW		2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
<u></u>		S	submitted			<u> </u>	Vater Well Disinfected? Yes	X No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Stee	el	3 RMP (SR)		6 Asbestos-Cement	9	Other (Specif	y below)	Welded
2 PVC	<del>-</del>	4 ABS		7 Fiberglass				Threaded X
Blank c	asing Diam	eter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
			50 in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Ste	el	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specia	<sup>fy)</sup> N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								• 1
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wr								
ł	nous slot	3 Mill sk		6 Wire w	vrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A								
SCREE	N-PERFO	RATION INTERV	ALS: from	ft. t	to	ft., Fr	om ft. to	ft.
ŀ			from	ft. (	to	ft., Fr	om ft. to	ft.
l	GRAV.	EL PACK INTERV			ft. to ft., Fro			
from ft. to ft., From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other heart on the hole plug								
Sent Maria De la Company de la								
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandon water well								
1 Septic tank 4 Lateral lines				7 Pit privy 11 Fuei s			etorene	
2 Sewer lines 5 Cess pool						tilizer storage 15 Oil well/Gas well  16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage West								
Direction from well? 18  How many feet?								
FROM			LITHOLOGIC LOG		FROM	TO	PLUGGING INTI	ERVALS
					0	6	cement grout	
·····	<b> </b>				6	20	bentonite hole	
	ļ				20	29	chlorinated same	nd & gravel
	<b>.</b>							
·								
ļ					-	-		
<b></b>					<b></b>			
<b>.</b>	-							
						+	- The Foods Mark Mark Mark Mark Mark Mark Mark Mark	
<u> </u>	1					1		
		· · · · · · · · · · · · · · · · · · ·					WANTED AND ART OF A CONTROL OF	
					1	1		
		,						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
Under the business name of Harp								
l							iladd. I	S. Hara