

1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>		Fraction <u>SE 1/4 NW 1/4 NE 1/4</u>		Section Number <u>7</u>	Township Number <u>T 27 S</u>	Range Number <u>R 1</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1801 W 21st St., Wichita, KS</u> <span style="float:right"><u>EAST</u></span>						
2 WATER WELL OWNER: <u>Scott DeMuth</u> RR#, St. Address, Box #: <u>Sears Robuck &amp; Co.</u> City, State, ZIP Code: <u>3333 Beverly Rd Hoffman Estates, Ill 60179</u> Board of Agriculture, Division of Water Resources Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"> </div>		4 DEPTH OF COMPLETED WELL: <u>23.8</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>19.39</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was . ft. after . hours pumping gpm Est. Yield gpm: Well water was . ft. after . hours pumping gpm Bore Hole Diameter. . in. to . ft., and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. . No. .; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . Clamped . . . 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . Blank casing diameter . in. to . ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface <u>-36</u> in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) . SCREEN-PERFORATED INTERVALS: From . ft. to . ft., From . ft. to . ft. GRAVEL PACK INTERVALS: From . ft. to . ft., From . ft. to . ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . Grout Intervals: From . ft. to . ft., From . ft. to . ft., From . ft. to . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS <u>23.8</u> <u>3</u> <u>Bentonite</u> <u>3</u> <u>0</u> <u>Cement</u>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-23-99</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>554</u> This Water Well Record was completed on (mo/day/yr) <u>4-1-99</u> under the business name of <u>Wootter Pump &amp; Well, Inc.</u> by (signature) <u>Gay C. Wootter</u>						