


1 LOCATION OF WATER WELL: Fraction SW 1/4 NW 1/4 SW 1/4 Section Number 13 Township Number T 27 S Range Number R 1 E/W  
 County: Sedgewick

Distance and direction from nearest town or city street address of well if located within city?  
802 N. West St. Wichita, KS

2 WATER WELL OWNER: 1-STOP CORPORATION  
 RR#, St. Address, Box #: 802 N West St Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Wichita, KS Application Number: MW13

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 22 ft. ELEVATION: 1214.57  
 Depth(s) Groundwater Encountered: 15.00 ft. below land surface measured on mo/day/yr 4-12-00  
 WELL'S STATIC WATER LEVEL: 15.00 ft. below land surface measured on mo/day/yr 4-12-00  
 Pump test data: Well water was 25 ft. after 0 hours pumping 0 gpm  
 Est. Yield 0 gpm Well water was 25 ft. after 0 hours pumping 0 gpm  
 Bore Hole Diameter: 8 in. to 25 ft., and 0 in. to 0 ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Threaded  
 Blank casing diameter: 7 in. to 7 ft., Dia 7 in. to 0 ft., Dia 0 in. to 0 ft.  
 Casing height above land surface: Flush in., weight 0 lbs./ft. Wall thickness or gauge No. 0

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 0  
 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) 0

SCREEN-PERFORATED INTERVALS: From 25 ft. to 27 ft., From 0 ft. to 0 ft.  
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 5 ft., From 0 ft. to 0 ft.  
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL: 3 Bentonite 4 Other  
 Grout Intervals: From 5 ft. to 1 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.

What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? NORTH How many feet? 410

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0"</u>	<u>6"</u>	<u>ASPHALT</u>			
<u>6"</u>	<u>5'</u>	<u>SILTY CLAY</u>			
<u>5'</u>	<u>25'</u>	<u>SAND</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-15-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 9034 This Water Well Record was completed on (mo/day/yr) 4-18-00 under the business name of Shiny Earth Trench LLC by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T R EW SEC 1/4 1/4 1/4