[R WELL RECO	ORD For		KSA 82a-		- NI 1	_ 	
1 LOCATION OF WA		Fraction NW 1/4	NE ¼	NW		tion Number 9		p Number	Range N	- 1
County: Se Distance and direction t	dgwick from nearest tow					J	T 2	7 s	R 1	E
Distance and direction i	rom nearest tow	in or only direct du	703 E.	21 st , Wic	hita, Kan	sas				
2 WATER WELL OW	NER: Day Re	porting Cen	ter as KDI	HE Time	and Ma	terials				
RR#, St. Address, Box	# : 1000 S	W Jackson #	/ 410				Board of A	griculture, Div	ision of Water I	Resources
City State 7IP Code	Topeka	a. Ks 66612-	1367				Application	Number:		
3 LOCATE WELL'S LO	DCATON WITH	4 DEDTH OF G	OMDI ETED V	A/E1 1	10		VATION			
AN "X" IN SECTION	BOX:	DENIHOLO	OMPLETED	WELL	13	π. Ε.Ε.	VATION:			
		Depth(s) Ground	water Encount	tered 1		?T	t. 2	π.	3	Ft. 3/05
	· · · · · · · · · · · · · · · · · · ·	WELL'S STATIC								3/03
	i								oumping	Gpm
NW	NE	Est. Yield	Gpm: V	Vell water v	vas		-t. atter	Hours	pumping	Gpm
0	i	Bore Hole Diame	ter 0.020	In. to	lie water s	j upoly	Ft. and	il Itionina 1	1. to	Ft.
. W <u>≅</u>	 E	1 Domestic	3 Feed lot	is: 5 Pui 6 Oil	field water:	supply	9 Dewate	ring 1	2 Other (Spec	ify below)
		Bore Hole Diame WELL WATER T 1 Domestic 2 Irrigation	4 Industria	. 7 100		lan (damaati	in) 10 Manite	ring well	/\V/-3`	· /
sw	SE	2 irrigation	4 industria	ıı / Lav	vn and gard	ien (domesi	(c) TO INIONIE	V	/144	
	l l	Was a chemical/l	bacteriological	sample su	bmitted to L					
-I S		Submitted					ater Well Disinf			
5 TYPE OF BLANK C		on)	5 Wrought						d Clar	nped
1 Steel	· ·	5R)	6 Asbestos		9 Other	(specify belo	ow)	Weld		
2 PVC	4 ABS		7 Fiberglas				L		aded	
Blank casing diameter	2	In. to 8	Ft., Dia		In t	.0	ft., Dia		in. to	ff
Casing height above lar	nd surface	FLUSH	in weight	SC	H 40	l hs /ft	Wall thickness	s or gauge No		
TYPE OF SCREEN OR			ini, weight				10 /			
1 Steel	3 Stainle		5 Fiberglas	ss						
2 Brass		nized steel	6 Concrete	e tile	9	ABS	12 1	lone used (op	en hole)	
SCREEN OR PERFOR	ATION OPENIN	GS ARE:			l wrapped				11 None (ope	en hole)
1 Continuous slo	t 3 [Mill slot		6 Wire wi	apped		9 Drilled ho			
Louvered shutt	er 4	Key punched		7 Torch o	ut		10 Other (s	pecify)		
SCREEN-PERFORATE	D INTERVALS:	From	8 ft.	to	18	ft. l	From	ft. ·	to	ft.
		From		to		ft. 1	From		to	Ft.
SAND PACK IN	ITERVALS:	From	6 ft.	to	19	ft.	From	ft. :	to	Ft.
		From	ft.	to		ft.	rom	ft.	to	Ft.
6										
GROUT MATERIAL	: 1 Neat c	ement 2	Cement grout	t	3 Ben	tonite	4 Other			
Grout Intervals From	。	a to 1	Ft. From2	4	Ft.				ft. to	
What is the nearest sou			Fromz		to		tock pens		τι. το andoned water	
1 Septic tank	irce or possible c	4 Lateral lines	7	Pit privy		11 Fuel			well/ Gas well	Well
2 Sewer lines		5 Cess pool		Sewage la	agoon		izer storage		ner (specify belo	2141)
3 Watertight sew	er lines	•		Feedyard	igoon		ticide storage		ntaminated	
Direction from well?	Ci IIIIES	6 Seepage pit	9	reedyard		How many		CO	a.iiiiiale(. OILE
FROM TO	CODE	LITHOL	OGIC LOG		FROM	TO		PLUGGING IN	JTFRVALS	
0 2	So									
2 11		ty Clay (CL)								
11 19	Sai	nd (Sw) fine-	med							
19 TD	En	d of Borehol	е							
		*******				-				
							<u>.</u>			
	 				-	1				
			· · · · · ·							
								•		
		<u></u>								
7 CONTRACTOR'S O	R LANDOWNER			er well was	(x) construc	cted, (2) reco	onstructed, or (3) plugged und	ler my jurisdicti	on and w
Completed on (mo/day/					And th	is record is t	rue to the best	of my knowled	ge and belief.	Kansas
Water Well Contractor's			585		This W	ater Well Re	ecord was com	oleted on (mo/	day/yr) 01	13/06
under the business nam	ie of	Associat	ed Enviro		, Inc.	Е	y (signature)	Bradley J.	Johnson 🖊	1 HM
INSTRUCTIONS: F						as Departmer	nt of Health and I	nvironment, Bu	ıreau of Watér, T	opelya,
Kansas 66620-0001	. Lelephone: 913	5-296-5545. Send c	ne to WATER V	WELL OWN	=K and retair	n one for your	records.			• •