WATER WELL RECORD			Form W	WC-5			r Resources App. No			
1 LOCATION OF WATER WELL:			Fraction				Township No.			
County: Sedgwick			5W 1/4 NE 1/4 NW			20 T 27 S R 1 □E				
	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
							Elevation: (III decimal degrees)			
						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Gary Richardson					Collec	Collection Method:				
RR#, Street Address, Box #: 210 N. Westfield						GPS unit (Make/Model:)				
City, State, ZIP Code : Wichita, KS 67212						Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy:   <3 m,   3-5 m,   5-15 m,   >15 m										
	AIE WE HAN "X	"IN 4 DEPTH OF	COMPLETED WELL	<u>, 90</u>		ft.		1		
	CTION BOX: Depth(s) Groundwater Encountered (1).30 ft. (2) ft. (3) ft.									
	N WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr									
	Pump test data: Well water wasft. after hours pumping gpm									
EST. YIELD. 18gpm. Well water was										
w Bore Hole Diameter 10 in. to .90 ft., and in. to										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
SW SW SW   Domestic										
Was a chemical/bacteriological sample submitted to Department?   Yes No										
s If yes, mo/day/yr sample was submitted										
was submitted:    Water well disinfected?										
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other										
Casing diameter .5 in. to .90 ft., Diameter ft., Diameter ft., Diameter ft.										
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
From										
6 GRO	UT MA	TERIAL: 🔲 Neat ceme	ent	Bento	nite [	Other				
Grout Intervals: From ft. to ft., From ft., From ft. to ft. to										
What is the nearest source of possible contamination:   Septic tank										
	Sewer li						oned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer sto.										
		m well East								
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS		
0	3	Topsoil								
3	15	Clay								
15	45	Medium Sand								
45	65	Clay Madium Sand								
65	90	Medium Sand		ļ		ļ				
				l						
				<u> </u>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .03/20/20.14 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) .03/21/2014										
under the business name of Premier Pump & Well Service, Inc. by (signature) 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.										
INSTRUC	CTIONS:	Use typewriter or ball point pen	. PLEASE PRESS FIRMLY	and <u>PRINT</u> c	early. Ple	ase fill in blanks	and check the correct	answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										