WATER WELL R	ECORD Form	WWC-5 NE NE	SE SW Divi	sion of Water		WIIID	
Original Record LOCATION (F)W		ge in Well Use		urces App. No. tion Number	Township Number	Well ID Range Number	
County:	Je web	Fraction SE SE 1/4		Number	T 27 S	r Range Number R ☐ E 🗽 W	
2 WELL OWNER: L. Business:	ast Name:	First:	Street or Rur	al Address wh	nere well is located (
Business.	0 1/1	2 .				s address, check here:	
Address: 23 c	2 m Deff	ord cur			O		
Address: Wicke	State: N	2 ZIP: 67205	7 7	301	n Deff	ord w	
3 LOCATE WELL	4 DEPTH OF COM		50				
WITH "X" IN	Depth(s) Groundwater		<u></u> 14.	2 20000		(decimal degrees)	
SECTION BOX:		3) ft., or <u>4)</u> [Longitu Datum: F	de :	(decimal degrees)	
N	2)					83 NAD 27	
		, measured on (mo-day-)	
NW NE	above land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map		
W 7 E	after hours pumping gpm Well water was ft.			☐ Onli	Online Mapper:		
SW SE	after hours pumping gpm						
	Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter:	9 in. to .30	ft. and	Source: Land Survey GPS Topographic Map			
mile		in. to	ft		Other		
7 WELL WATER TO							
1. Domestic:		iter Supply: well ID				se	
☐ Household Lawn & Garden		ng: how many wells?			11. Test Hole: well ID		
Livestock		echarge: well ID g: well ID			mal: how many bores?		
2. Irrigation		al Remediation: well II			ed Loop Horizontal		
3. ☐ Feedlot	☐ Air Sparge				b) Open Loop Surface Discharge Inj. of Water		
4. 🗌 Industrial	☐ Recovery	☐ Injection	_	13. 🔲 Other	r (specify):		
Was a chemical/bacter	iological sample subm	nitted to KDHE?	Yes No	If yes, date sa	ample was submitted	•	
Water well disinfected?							
8 TYPE OF CASING	USED: ☐ Steel ▼PV	C Other	CASIN	IG JOINTS: 🕽	Glued □ Clamped	☐ Welded ☐ Threaded	
8 TYPE OF CASING USED: Steel PVC Other							
Casing diameter	in. to 7. ft.,	Diameter	in. to	ft., Diamete	ير.و in. to نام	<u></u> ft.	
Casing height above land	surface in	n. Weight	in. to	ft., Diamete	er in. to	<u></u> ft.	
Casing height above land s TYPE OF SCREEN OF	surface in R PERFORATION MA	n. Weight TERIAL:	in. to	ft., Diamete Wall thickne	erin. to ss or gauge No	ft.	
Casing height above land s TYPE OF SCREEN OF ☐ Steel ☐ Stain	surfacein R PERFORATION MA' nless Steel	n. Weight TERIAL: rglass ₩ PVC	in. to lbs./ft.	ft., Diamete Wall thickne	ير.و in. to نام	ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv	surface in R PERFORATION MA' nless Steel	n. Weight TERIAL: rglass PVC crete tile \(\sum \text{None of } \)	in. to	ft., Diamete Wall thickne	erin. to ss or gauge No	ft.	
Casing height above land s TYPE OF SCREEN OF ☐ Steel ☐ Stain	surface in R PERFORATION MA' nless Steel	n. Weight TERIAL: rglass PVC crete tile None u RE:	in. to	ft., Diame(e Wall thickne Dother	erin. to	^{ft.}	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter	surface	n. Weight	in. to	ft., Diame of Wall thickne Other Other Other Other	erin. to ss or gauge No (Specify)	ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI	surface	n. Weight	in. to	ft., Diame to Wall thickne Other Other Other One (Open Hole One (The Hole	crin. to ss or gauge No	ft. to ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAA	surface	n. Weight	in. to	ft., Diame (Wall thickne Other Other Tilled Holes one (Open Hole ft. to ft. to	cr	ft. to ft ft ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL RAG 9 GROUT MATERIA	surface	n. Weight	in. to	ft., Diame (Wall thickne Other Other Tilled Holes one (Open Hole ft. to ther	cr	ft. to ft ft ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAAC GROUT MATERIA Grout Intervals: From	surface	n. Weight	in. to	ft., Diame (Wall thickne Other Other Tilled Holes one (Open Hole ft. to ther	cr	ft. to ft ft ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl	surface	TERIAL: rglass PVC rete tile None to RE: auze Wrapped To San fi. fo San fi., From	in. to	ft., Diame (Wall thickne Other Other Tilled Holes one (Open Hole ft. to ther	cr	ft. to ft ft.	
Casing height above land s TYPE OF SCREEN OF Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAAC GROUT MATERIA Grout Intervals: From	surface	TERIAL: rglass PVC rete tile None to RE: auze Wrapped To San fi., From	in. to	ft., Diame (Wall thickne Other Other Other illed Holes one (Open Hole ft. to ft. to ther ft., From	Other (Specify)	ft. to ft ft.	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lines	surface	n. Weight	in. to	ft., Diame (Wall thickne Other Other Other one (Open Hole ft. to ther ther tter Livestock Pens	cr	ft. ft. to	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR CONTINUOUS Slot CONTINUOUS SCREEN-PERFORATION OF GRAVEL PAGE OF GROUT MATERIAL GROUT Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Continuous Screen Sewer Lines Watertight Sewer Line Continuous Screen Sewer Lines Other (Specify)	Surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify)	ft. ft. to	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO	Surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. ft. to	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	surface	n. Weight	in. to	ft., Diameter Wall thickne Wall thickne Other Other Other one (Open Hole ft. to ft. to ther ther Livestock Pens Fuel Storage Fertilizer Storage	Other (Specify) Other (Spe	ft. to ft ft ft ft. de Storage ned Water Well	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA GROUT Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO	surface	n. Weight	in. to	milled Holes Other Other Other Other Other Trilled Holes Cone (Open Hole fi. to ft. to Therefore, from Livestock Pens Fuel Storage Fertilizer Storage TO LI	cr	ft. to ft ft.	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA GROUT Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO	surface	n. Weight	in. to	milled Holes Other Other Other Other Other Trilled Holes Cone (Open Hole fi. to ft. to Therefore, from Livestock Pens Fuel Storage Fertilizer Storage TO LI	cr	ft. to ft ft.	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF PERFOR CONTINUOUS Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA GROUT Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO	surface	n. Weight	in. to	milled Holes Other Other Other Other Other Trilled Holes Cone (Open Hole fi. to ft. to Therefore, from Livestock Pens Fuel Storage Fertilizer Storage TO LI	cr	ft. to ft ft.	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Corunder the business name	Surface	Meight	in. to	milled Holes Other Oth	constructed, recorrue to the best of my letted on (no day well)	ft. to	
Casing height above land of TYPE OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OF SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Corunder the business name INSTRUCTIONS: Send or	Surface	TERIAL: rglass PVC rete tile None of RE: auze Wrapped Series of RE: auze Wrapped S	in. to	milled Holes Other Oth	constructed, recorrue to the best of my leted on (no lete) recorructed well along with h constructed well along with	ft. to	