	WATER WELL R	ECORD F	orm WV	VC-5 K	(SA 82a-12 <i>1</i>	12		
1 LOCATION OF WATER WELL:	FRACTION		S EC1	TION NUMBE	R TOWNSHIP	NUMBER	RANGE N	NUMBER
Sedgwick	SW 1/4 SW	1/4 SW	1/4	13	T 2	7 s	R 1	W E/W
Distance and direction from nearest town or cit	y street address of well if located	within city?						
3900 West Central	Wichita, Kansa	ıs	=					
	PRISE BANK					Board of Agri	culture, Division of	Water Resource
	0 West Central					A P P M		
	chita, Kansas	VELL: 35		P CODE:	ELEVATION.	Application Nun	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	1 6.01.	· 			ELEVATION:	_		_
N D	epth of groundwater Encount	• •	ft.			ft.	_,_	ft.
	VELL'S STATIC WATER LEV			W LAND S	URFACE MEASU		• •	2/14
NW NE	Pump test d				ft. after		of pumping @	gpm
W William M	Est. Yield: gpm Bore Hole Diameter _ 1		to 3	15 #	ft. after t. and	in.	of pumping @ to	gpm ft.
-	VELL WATER WAS USED	****	10 2	,,,	i. and	9. Dewateri	44 4.4	ection well
	1. Domestic 3. Feedlot	5. Public wa	ter supply	7. Lawn	and garden only	> Dewater	ng .	Specify below)
	2. Irrigation 4. Industria	al 6. Oil field w	ater supply	8. Air co	nditioning	10. Monitorir	ng well	
_	Was a chemical/bacteriological sa	ample sub m itt ed to D	epartment?	YES	NO	•	what mo/day/yr YES	was sample NO
<u></u>	submitted				Water Well Disini			
TYPE OF CASING USED: 1. Steel 3. RPM (S	5. Wrought Iron	7. Fiberglass	9. O	ther (Specif	y below) CAS	SING JOINTS:	Glued Welded	Threaded
2. PVC 4. ABS	6. Asbestos-Cement	8. Concrete ti	le				weided	Clamped
Blank casing diameter 6	in. to ft	., Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height Down surface:	24 in.,	Weight:	IE	bs. / ft.	Wall th	ickness or gaug	ie No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:								
						her (specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. A	sb es tos-Ce	ment 12. No	ne used (open	hole)	
SCREEN OR PERFORATION OPENIN	NGS ARE:							
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut					9. Drill	ed holes	11. None (open hole)
2. Louvered shutter 4. Key j	punched 6. Wire wra	pped	(8. Sa	w cut	10. Oth	er (specify) N	/A	
SCREEN - PERFORATION INTERVAL	From 30	ft. to	50	ft.,	From	ft.	40	4
SOMEEN PENINSWITTENANE	From	ft. to		ft	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From 24	ft. to		ft.,	From	ft.	to to	ft.
	From	ft. to		ft.,	From			ft.
6 GROUT MATERIALS: 1 Next						ft.	to	ft.
U I I I I I		ment Grout		3. Bentonite			onite hole pl	•
Grout Intervals: From 2 What is the nearest source of possible of		ft., From	ft.	to	ft.,	From	ft. to) ft.
1. Septic tank 4. Lateral lines 7. Pit privy			0. Livestoc	k pens	13. Insecti	13. Insecticide storage 15. Oil well/Gas well		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify b							pecify below)	
3. Watertight sewer line 6. Seep.	age pit 9. Feed ya	ırd 1	2. Fertilize	r storage				
Direction from well?					How ma	any feet?		
From To	LITHOLOGIC LOG	/ 1/1	From	То		LITHOLC	GIC LOG	
			0	2	compacted			
			2	25	bentonite h	ole plug		
								
			ļ					

					· · · · · · · · · · · · · · · · · · ·			
								T
			<u> </u>					
Contractor's or Landowner's Certi				constructe	_		under my jurisdic	tion and
was completed on (mo/day/year)	7/2/2014	and this record i	s true to the	best of my	knowledge and b	oelief.		
Kansas Water Well Contractor's Lice	nse No. 236	This water we	ell record wa	s complete	d on (mo/day/yea	r) 7/11	/2014	
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp								
1						<u> </u>	· I con	<i>,</i>