W SW SE SE SW Was a chemical/bacteriological sample submitted to Depared S Was a chemical/bacteriological sample submitted to Depared S TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify be 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much Cut off 1' Casing height above or below land surface 12 in.  GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	nal degrees, min. of 4
1 LOCATION OF WATER WELL: County: Sedgwick SE ½ NE ½ NW ½ 28 Z7S  Distance and direction from nearest town or city street address of well if located within city?  2 WATER WELL OWNER: Angel Fuentes RR#, St. Address, Box #: 423 S. Topaz City, State, ZIP Code: Wichita, KS 67209  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL Z1.50  WELL WAS USED AS:  1 Domestic   5 Public Water Supply   10 M   3 Feedlot   7 Domestic (Lawn & Garden)   11 In dustrial   8 Air Conditioning   12 O Was a chemical/bacteriological sample submitted to Depar   15 Eteel   3 RMP (SR)   5 Wrought   7 Fiberglass   9 Other (Specify be 2 PVC   4 ABS   6 Asbestos-Cement   8 Concrete Tile   8 Blank casing diameter   6 in. Was casing pulled? Yes X No If yes, how much Cut off 1' Casing height above or Delow and surface   12 in.   15 Other KDHE ISC. 22 Other Representation:   1 Septic tank   6 Seepage pit   11 Fuel Storage   16 Other KDHE ISC. 22 Other Representation:   15 Other KDHE ISC. 22 Other Representation:   15 Septic tank   6 Seepage pit   11 Fuel Storage   16 Other KDHE ISC. 22 Other Representation:   15 Septic tank   6 Seepage pit   11 Fuel Storage   16 Other KDHE ISC. 22 Other Representation:   15 Septic tank   6 Seepage pit   11 Fuel Storage   16 Other KDHE ISC. 22 Other Representation:   15 Septic tank   15 S	mal degrees, min. of 4
County: Sedgwick SE ¼ NE ½ NW ½ 28 27S  Distance and direction from nearest town or city street address of well if located within city?  423 S. Topaz – Wichita  2 WATER WELL OWNER: Angel Fuentes  RR#, St. Address, Box #: 423 S. Topaz  City, State, ZIP Code: Wichita, KS 67209  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N  WELL S STATIC WATER LEVEL  21.50  WELL WAS USED AS:  1 Domestic 2 Irrigation 6 Oil Field Water Supply 10 M 3 Feedlot 7 Domestic (Lawn & Garden) 11 In 4 Industrial 8 Air Conditioning 112 O  Was a chemical/bacteriological sample submitted to Depar  5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify be 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much Cut off 1' Casing height above or below land surface 12 in.  GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 October 11 Fuel Storage 16 October 12 In Fuel Storage 16 October 17 Form What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 October 17 Form What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 October 17 Fiber Read Provided	mal degrees, min. of 4
2 WATER WELL OWNER: Angel Fuentes  RR#, St. Address, Box #: 423 S. Topaz  City, State, ZIP Code: Wichita, KS 67209  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N  WELL WAS USED AS:  1 Domestic 2 Irrigation 4 Industrial 5 Public Water Supply 9 D 10 M 3 Feedlot 7 Domestic (Lawn & Garden) 11 Industrial 8 Air Conditioning 12 O Was a chemical/bacteriological sample submitted to Depa  5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter Casing height above or below land surface 12 in.  GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Crost Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft.  WHELL WAS USED AS:  1 Domestic 1 Steel 2 Irrigation 6 Oil Field Water Supply 10 M 7 Domestic (Lawn & Garden) 11 In July 11 In July 12 O  Was a chemical/bacteriological sample submitted to Depa  5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter Casing height above or below land surface 12 in.  GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage	
2 WATER WELL OWNER: Angel Fuentes  RR#, St. Address, Box #: 423 S. Topaz  City, State, ZIP Code: Wichita, KS 67209  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N  WELL WAS USED AS:  1 Domestic	
RR#, St. Address, Box #: 423 S. Topaz  City, State, ZIP Code: Wichita, KS 67209  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N  WELL WAS USED AS:  WELL WAS USED AS:  1 Domestic 5 Public Water Supply 9 D 10 M 11 In 12 O 10 M 12 O	
City, State, ZIP Code: Wichita, KS 67209  Datum: Data Collection Method:  3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N  WELL WAS USED AS:  1 Domestic 2 Irrigation 6 Oil Field Water Supply 3 Feedlot 7 Domestic (Lawn & Garden) 11 In 12 O  Was a chemical/bacteriological sample submitted to Depa  5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify be 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much Cut off 1? Casing height above or below land surface 12 in.  6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	ft
WITH AN "X" IN SECTION BOX:  N  WELL'S STATIC WATER LEVEL  21.50  WELL WAS USED AS:  WELL WAS USED AS:  1 Domestic   5 Public Water Supply   9 D.   3 Feedlot   7 Domestic (Lawn & Garden)   11 In   4 Industrial   8 Air Conditioning   12 O.   Was a chemical/bacteriological sample submitted to Depart   1 Steel   3 RMP (SR)   5 Wrought   7 Fiberglass   9 Other (Specify be 2 PVC   4 ABS   6 Asbestos-Cement   8 Concrete Tile    Blank casing diameter   6 in. Was casing pulled? Yes   X No   If yes, how much Cut off 1' Casing height above or   below land surface   12 in.   GROUT PLUG MATERIAL: 1 Neat cement   2 Cement grout   3 Bentonite   4 Other   Grout Plug Intervals: From   0   ft. to   3   ft., From   3   ft. to   27.87   ft., From   What is the nearest source of possible contamination:   1 Septic tank   6 Seepage pit   11 Fuel Storage   16 Other   KDHE ISL C2	ft
WELL WAS USED AS:  WELL WAS USED AS:  1 Domestic   5 Public Water Supply   9 D   10 M   3 Feedlot   7 Domestic (Lawn & Garden)   11 In   4 Industrial   8 Air Conditioning   12 O   12 O   12 O   12 O   12 O   13 Each   14 Each   15 Each	
W    SE	
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify be 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much Cut off 1' Casing height above or below land surface 12 in.  6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination:  1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	ewatering onitoring jection Well ther
1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify be 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile  Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much Cut off 1' Casing height above or below land surface 12 in.  6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	tment? Yes No X
Casing height above or below land surface 12 in.  6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From  What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	ow)
6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Plug Intervals: From 0 ft. to 3 ft., From 3 ft. to 27.87 ft., From What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	below surface*
What is the nearest source of possible contamination: 1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	FT
1 Septic tank 6 Seepage pit 11 Fuel Storage 16 Other KDHE ISL C2	to ft.
3 Watertight sewer lines 8 Sewage lagoon 4 Lateral lines 9 Feedyard 14 Abandoned water well Direction from well?	-087-73100 Cleaner site
5 Cess pool 10 Livestock pens 15 Oil well/Gas well How many feet?	
FROM TO PLUGGING MATERIALS FROM TO 0 3 Cement grout * Well located in	NOTES nside house. Plugged in
	HE project manager
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisd completed on (mo/day/year) 06/27/14 and this record is true to the best of my knowledge Well Contractor's License No. 531 . This Water Well Record was completed on (mo/day/year business name of GSI Engineering, LLC by (signature)	otion and was

INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5522. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell.