	ER WELL RECORD Form WWC-5			Division of Water				
Original Record	Correction	Change in Well			urces App. No tion Number		Well ID cer Range Number	
1 LOCATION OF W County: 5000		Fraction	n E 1/1/E 1/4	NE4 360)	T 27 S	R DEWW	
2 WELL OWNER: L	700101						(if unknown, distance and	
Business: B Freate di					lirection from nearest town or intersection): If at owner's address, check here:			
Address:		738	7301 W 212 St N					
Address:	chita Sta	te: KS ZIP:6	7209	W	Wichita KS 47205			
3 LOCATE WELL								
WITH "X" IN	Depth(s) Groundwater Encountered: 1)				ft. Longitude:			
SECTION BOX: N	2) ft. 3) ft., or 4) \square Dry Well Datum: \square WGS 84 \square NAD 83 \square NAD 27							
· ·	WELL'S STATIC WATER LEVEL:							
	above land surface, measured on (mo-day-yr)							
NW NE	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
W E	after	after hours pumping gpm				☐ Online Mapper:		
SW SE	Well water was ft. after hours pumping gpm						4 A W W	
	Estimated Yield: .25gpm				6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: in. to ft. and				Source:			
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID								
☐ Household	hold 6. ☐ Dewatering: how many wells?				11. Test Hole: well ID			
Lawn & Garden		well ID						
Livestock		ID liation: well I		·				
2. ☐ Irrigation 3. ☐ Feedlot	9. Envi	☐ Soil Vapor						
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes ANO If yes, date sample was submitted:								
Water well disinfected? X Yes No								
8 TYPE OF CASING USED: Steel DIPVC Other CASING JOINTS: Di Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify) Direction from well? Distance from well? How the standard of the standard o								
) †	f		
10 FROM TO		HOLOGIC LO	G	FROM	TO	LITHO. LOG (cont.) c	or PLUGGING INTERVALS	
0 1	TOO SCA							
10 14	FIDE S	and				-		
16 26	med.	Graves						
24 30	Clay)							
3c 40		Gavel	3 V	NT - 4 -				
40 45 med Gravel Notes:								
46 60 Med Gravel								
11. CONTRACTORS OF LANDOWNEDS CERTIFICATION. This water well was M constructed reconstructed or plugged								
under my jurisdiction and was completed on (mo-day-year) 10:1.1.1								
under the business name of								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas								
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topcka, Kansas 66612-1367. Telephone (785) 296-3565.								
	heks.gov/waterwell/ind	L L		KSA 82a-1	217		Revised 9/10/2012	