WATER WELL RECORD	Form WWC	-5 Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction 1/4 SW 1/4 SE 1/4	NE ¼ Section Number Township No. Range Number T 27 S R 1 □E ☑W	
Street/Rural Address of Well Location;		ection Global Positioning System (GPS) information:	
from nearest town or intersection: If at	owner's address, check here		
4311 West Emerald Bay Street		Longitude: 97.395656 (in decimal degrees)	
Wichita, KS 67205		Elevation: 1334 Datum: WGS 84, NAD 83, NAD 27	
2 WATER WELL OWNER: Phillips	66 Company	Collection Method:	
	2 Phillips Building	GPS unit (Make/Model:)	
	ville. OK 74004	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est, Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL	COMPLETED WELL 10	0.5 ft.	
		ft. (2).N/A ft. (3).N/A ft.	
N WELL'S STAT			
Pum	Pump test data: Well water was N/A		
EST. YIELD. N/Agpm. Well water was N/A			
$ \mathbf{w} $			
WELL WATER	R TO BE USED AS: 🔲 Pu	blic water supply Geothermal Injection well	
Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW-6 Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No			
s If yes, mo/day/yr sample was submitted N/A			
	nfected? Tyes I No	, u	
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .2			
Casing height above land surface. 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 9.5 ft. to 19.5 ft. From N/A ft. to N/A ft.			
From. N/A ft. to . N/A ft., From . N/A ft. to . N/A ft.			
GRAVEL PACK INTERVALS:	From ft. to	19.5 ft., From N/A ft. to N/A ft.	
From N/A ft. to N/A ft., From N/A ft. to N/A ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2 feet Grout Intervals: From 2 ft. to 7.5 ft., From N/A ft., From N/A ft., From N/A ft.			
What is the nearest source of possible cont	amination	it. to	
		vestock pens	
Sewer lines Cesspool		el storage Abandoned water well	
☐ Watertight sewer lines ☐ Seepage ☐ Direction from well West		rtilizer storage Oil well/gas well Pipeline	
FROM TO LITHOLOG		istance from well100-feet	
5 10.5 Clay Firm was K	red Mu	OM TO EITHO. LOO (COIII.) OI PLOGGING INTERVALS	
and to stain			
	are,		
	ers & wet		
16.5 19.5 Savel black to	JOYKS1EV		
	<i>J</i> /		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .11-21-2014 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/play/year) 2/1/2015			
under the business name of RAZEK Environmental, LLC by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to			
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html			