WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick NW1/4 27 1W 1/4 Т S E/W Distance and direction from nearest town or city street address of well if located within city? 7801 W. Bella Vista Wichita, Kansas WATER WELL OWNER: KING, Michael Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 7801 W. Bella Vista Wichita, Kansas CITY, STATE: ZIP CODE: Application Number: 4 DEPTH OF COMPLETED WELL: 60 LOCATE WELL'S LOCATION ELEVATION: ft. WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft ft. WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 3/11/15 Pump test data: Well water was NW NE ft. after hours of pumping @ gpm Well water was hours of pumping @ Est. Yield: apm ft. after gpm Ξ 12 Bore Hole Diameter in and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 6. Oil field water supply 8. Air conditioning 4. Industrial ; if yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO submitted Was Water Well Disinfected? (YES) TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 1. Steel 3. RPM (SR) Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 4. ABS 2. PVC Blank casing diameter 5 40 to ft.. Dia. to Dia ft. Casing height above land surface: 12 Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 5. Fiberglass 9 ABS 11. Other (specify) 1. Steel 8. RMP (SR) 2. Brass 4. Galvanized Concrete Tile 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 7. Torch cut 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 9. Drilled holes 11. None (open hole) 2. Louvered shutter 8. Saw cut 6. Wire wrapped 4. Key punched 10. Other (specify) SCREEN - PERFORATION INTERVAL 40 ft. From ft.. From to to ft. From ft. to ft From ft. ft. GRAVEL PACK INTERVALS: 24 ft. 60 From ft.. From ft. ft. From to ft.. From to ft **GROUT MATERIALS:** Other bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: 24 From ft.. From ft. ft., From ft. What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit West How many feet? 10 ft. plus Direction from well? LITHOLOGIC LOG From Τo From LITHOLOGIC LOG То O topsoil 3 20 clay 20 fine sand 40 40 60 medium sand

7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 3/11/2015 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/13/2015

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp