sec. 2 T. 275 R. 1 W							
WATER WELL RECORD Form WWC-5 Division of Water							
				ources App. 1		Well ID	
1 LOCATION OF W	Sweet:	Fraction Fraction	$SL_{1/2} \mid Sec$	ction Number	T Township Num		
County: Salaw Ya Ya Ya Ya Tanas R First: Street or Rural Address where well is located (if unknown, distance and							
Business: L/2 acc 1 direction from nearest town or intersection as If at owner's address, check here:							
Address: 4706 Short Hope Veno							
City: Wichel State: FS ZIP: 67205							
3 LOCATE WELL			36				
WITH "X" IN	4 DEPTH OF COMPLETED WELL:						
SECTION BOX:							
N	WELL'S STATIC WATER LEVEL: 1.6						
		below land surface, measured on (mo-day-yr)					
NW NE	□ above land surface, measured on (mo-day-yr) (WAAS enabled? □ Yes □ No)						
	1 -	Pump test data: Well water was ft.					
W		after hours pumping					
SW SE #	afterhours pumpinggpm						
	Estimated Violds arm 6 Elevation: ft Ground Level G						
S  1 mile	S Bore Hole Diameter:						
mile  in. to							
1. Domestic: 5. Public Water Supply: well ID							
Household	6. Dewatering: how many wells?						
Lawn & Garden		7. Aquifer Recharge: well ID					
Livestock		8. Monitoring: well ID					
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID						
4. Industrial	☐ Air Sparge       ☐ Soil Vapor Extraction       b) Open Loop       ☐ Surface Discharge       ☐ Inj. of Water         ☐ Recovery       ☐ Injection       13. ☐ Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes You If yes, date sample was submitted:							
Water well disinfected?  Yes No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: A Glued Clamped Welded Threaded							
Casing diameter in. to							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass SVPVC Other (Specify)							
☐ Steel     ☐ Stainless Steel     ☐ Fiberglass     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ Concrete tile     ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK-INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possib	le contamination:	II., From	τ. το	II., From	It. to	π.	
Septic Tank	Lateral Line	es 🔲 Pit Privy		Livestock Pe	ens 🔲 Insect	icide Storage	
☐ Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage	☐ Aban	doned Water Well	
Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Direction from well? Distance from well? ft.							
10 FROM TO	LITHOLO		FROM	ТО		or PLUGGING INTERVALS	
0 9	Tool 2	Parl ()			2:110:200 (00:)		
9 18	Fino	Jan De	m/	1	Also Area Area Area Area Area Area Area Area	417.	
18 36	Coarso	ton	Ban				
	- April						
			37				
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed,   reconstructed, or  plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Co	ntractor's License No	, This Wa	ter Well Re	cord was co	mpleted on moday	year) . 5 1 1 . 5	
	e of						
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
1	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012						