WATER	WEL	L RECORD	Form WV	VC-5	Divis	ion of Water	Resources App. No	0.	
1 LOCA	TION (	F WATER WELL:	Fraction  1/4 NW 1/4 SE	¼ NE .¼	Section	Number B	Township No. T 27 S	Range Number	
Count	y: Seuq	Mich	funknown distance &	Global Positioning System (GPS) information:					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .						Latitude:       (in decimal degrees)         Longitude:       (in decimal degrees)         Elevation:       Datum:         WGS 84,       NAD 83,         NAD 27			
2 WATER WELL OWNER: Sherry Henderson						Collection Method:			
RR#, Street Address, Box #: 1905 N. Wood Dr.					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Wichita. KS 67212						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.									
SECTION POV: Death(s) Groundwater Encountered (1) 28 ft. (2) ft. (3) ft. (3)									
	N I THE LICE OF A TIC WATED I EVEL 40 If helow land surface measured on modally vi								
Pump test data: Well water was ft. after hours pumping.  EST. YIELD 18 gpm. Well water was ft. after hours pumping.								pinggpm	
NW   No     Rose Hole Diameter 10 in to 60							.ft.		
W									
sw	Domestic   Faedlet   Oil field water supply   Dewatering   Utner (Specify Delow)								
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well   Was a chemical/bacteriological sample submitted to Department?   Yes   No									
s If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected? ✓ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5									
Casing diameter .5									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
COPEE	Louvered	shutter \( \shrt{Key punched}\) ORATED INTERVALS:	Erom 40	ZI Saw cut Proto 60		ft., From	ft.	. to ft.	
SCREE			From	ft to	· · · · · · · · · ·	tt., From .	n.	. to IL.	
	GRAVI	EL PACK INTERVALS:	From. 20	ft. to60		ft., From .	ft	. to 11.	
From									
6 GRO	UT MA. tervals:	From 3 ft. 1	o 20 ft. From		ft. to	ft.	, From	ft. toft.	
What is the nearest source of possible contamination:									
	Septic tar	nk 🔲 Lateral l	ines   Pit privy	☐ Livestock ☐ Fuel storag		Insecticid	e storage ⊔ ∪i ad water well	mer (spechy below)	
	Sewer lir	les		Fertilizer s	torage [	Oil well/g	as well		
Direc	tion from	n well .West				1 . 35'	OC (	UGGING INTERVALS	
FROM	TO	LITHOLO	GIC LOG .	FROM	TO	LITHU. L	OG (cont.) or FL	OGGING INTERVALS	
3	3 25	Topsoil Clay							
25	60	Medium Sand							
					<del></del> +				
<u> </u>									
	<b> </b>								
<b> </b>									
			THE CENTURE A THE	No This are		rac 🔽 cons	tructed T record	tructed, or I plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, 1 reconstructed, or 1 plugged under my jurisdiction and was completed on (mo/day/year) .05/27/2015 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .05/27/2015  under the business name of Premier Pump & Well Service, Inc.  BROWN the Place of the blanks and check the correct answers. Send one copy to									
INSTRU									
INSTRUCTIONS: Use typewriter of ball point pen. PLEAGE FALSS PAGES AND									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and tetall one to your records.  http://www.kdheks.gov/waterwell/index.html									