CORRETEO

		RECORD				vision of Wa]		
Origin	Original Record				ources App.		Township Number Range Number			
Count	County: Sofg WT CK SWM NEW W% WELL OWNER: is Name loen halo First: 5h aron Business: 2907					Section Number Township Number Range Number T Z 7 S R D E X W				
2 WELL	OWNER:	ist Name of	m h 1	First: 54 at Am		ral Address				
Business										
Address: AlleTh										
City: Wichita State: Ka ZIP: 672.05										
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 60 ft. 5 Latitude 37.736 28172 (decimal deg										
WITH		Denth(s) G	OF COMI	LETED WELL:		Longitude: 77. 45.047.7 (decimal degrees)				
	SECTION BOX: Depth(s) Groundwater Encountered: 1)					Well Datum: WGS 84 MAD 83 NAD 27				
	WELL'S STATIC WATER LEVEL: 24					Sour	Source for Latitude/Longitude:			
	below land surface, measured on (mo-day-						GPS (unit make/model:)			
NW -	above land surface, measured on (mo-day-					(**************************************				
w	E after hours puffiping						☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
	Well water was					۱ '	Offittle Wapper,	· · · · · · · · · · · · · · · · · · ·	***************	
SW	after hours pumping Estimated Yield: Zagpm				gpm	6 Flore			I and Claroc	
	S Bore Hole Diameter: 12 in. to				A and		6 Elevation:			
J1	- 1 mile in. to					24.1	Other			
7 WELL WATER TO BE USED AS:										
							10. Oil Field Water Supply: lease			
	Household 6. Dewatering: how many wells?									
Lawn	vn & Garden 7. Aquifer Recharge: well ID									
2. Imigat										
3. 🗌 Feerli						b) C	b) Open Loop Surface Discharge Inj. of Water			
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Cher CASING JOINTS: Skilled Clamped Welded Threaded Casing diameter in to Casing diameter in the di										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ TVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From 40 ft. from ft. from ft. from ft. from ft.										
GRAVEL PACK INTERVALS: From 24 ft. to (a. Z. ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Sentonite Other										
Grout Intervals: From										
Nearest source of possible contamination:										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well										
☑ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well										
Other (Specify) Direction from well? Distance from well?										
10 FROM	TO		ITHOLOGI		FROM	TÓ	LITHO. LOG (cont.) or		INTERVALS	
Ö	2	Tor	<u> </u>	?			7			
A_	24	Cla								
24	60	mod	San	d						
				4						
					Notes					
						Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **Constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year)										
		e of					npieled on (mo-day-yo			
INSTRUC	CTIONS: Send o	ne copy to WATER	WELL OWNER	and retain one copy for your	records. Submit	fee of \$5.00 for	each constructed well along wit	h one (white) cop		
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson 5t., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012										