***************************************	RECORD Form	n WWC-5	Di	vision of Water						
Original Record	Correction Ch	ange in Well Use		sources App. No		Vell ID				
1' LOCATION OF	WATER WELL:	Fraction		ction Number						
County: Sec	lawrk	ME.4 NW45H		5	T 27 S	R 1 DE W				
? WELL OWNER:	Las Name:	First:	Street or Ru		here well is located (if	unknown distance and				
Business:	\sqrt{m} mg	Co. Ly	direction from	nearest town or i	ntersection): If at owner's a	address, check here:				
Address: Address:	mri mi	LINTY	1200							
City: Wichit	State: K	(S ZIP: 67205	lee) VO!	Chartwell	4146				
3 LOCATE WELL			12							
WITH "X" IN		OMPLETED WELL:		t. 5 Latitud	le:	(decimal degrees)				
SECTION BOX:		ter Encountered: 1)		Longit	ude:	(decimal degrees)				
N	2) IL.	3) ft., or 4)	☐ Dry Well	Datum:	☐ WGS 84 ☐ NAD 83	B □ NAD 27				
'	MELL S STATIC V	WATER LEVEL: 28 ace, measured on (mo-day	7 741	Source	for Latitude/Longitude:					
NW NE	above land surfa	ace, measured on (mo-day	λ-Δ1)·· σ• ·t ∺· r\ λ:	♥ □ GP	S (unit make/model:)				
	Pump test data: Well water was			i	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
W X	after ho	ours pumping	gpm		line Mapper:	с мар				
SW SE	We	il water was 44	fì			***************************************				
	afterho	ours pumping	gpm	6 Florest						
S	Estimated Yield:	: 10 in. to	Ω 1	Source	on:ft. []	Ground Level TOC				
mile		in. to		Source.	☐ Land Survey ☐ GPS ☐ Other	☐ I opograpnic Map				
7 WELL WATER T		III. W	11.			••••••••••••				
1. Domestic:		Water Supply: well ID		10 🗀 🔾	Ciald Was on the con-					
☐ Household	6. ☐ Dewate	ering: how many wells?			Field Water Supply: lease ble: well ID	•••••				
Lawn & Garden	7. 🔲 Aquifer	Recharge: well ID			ed Uncased Geot	technical				
Livestock	8. 🔲 Monito	ring: well ID	• • • • • • • • • • • • • • • • • • • •		rmal: how many bores?					
2. Irrigation	9. Environme	ental Remediation: well I	D	a) Clos	ed Loop Horizontal	☐ Vertical				
3. Feedlot Air Sparge Soil Vapor E			Extraction	b) Open Loop Surface Discharge Inj. of Water						
4. Industrial				13. 🗌 Othe	er (specify):	•••••				
Was a chemical/bacte	eriological sample sul	bmitted to KDHE?	Yes No	If yes, date s	ample was submitted:					
Water Well dicintected	7 MIVes IINe									
8 TYPE OF CASING	GUSED: Steel 🛛 I	PVC Dother	CASI	NG JOINTS:	Ma_Glued ☐ Clamped ☐	Welded Threaded				
asing diameter	in. to	II. Diameter	in to	casing diameter in. to it., Diameter in. to ft Diameter in to ft						
Casing neight above land surface										
TYPE OF SCREEN O	D DEDECD ATION A	. III. Weight	lbs./ft.	Wall thickne	ess or gauge No 🚜 🗓 🖁) <u>T</u>				
I YPE OF SCREEN O	R PERFORATION M	IATERIAL:	lbs./ft.	Wall thickne	ess or gauge No					
☐ Steel ☐ Sta	R PERFORATION M inless Steel	IATERIAL: berglass		Wall thickno	ess or gauge No/Leux					
☐ Steel ☐ Sta	R PERFORATION M inless Steel ☐ Fil Ivanized Steel ☐ Co	ATERIAL: berglass PVC oncrete tile None	lbs./ft.	Wall thickno	ess or gauge No					
☐ Steel ☐ State ☐ Steel ☐ Steel ☐ State ☐ Gain SCREEN OR PERFO	R PERFORATION M inless Steel	ATERIAL: berglass	used (open hole	Wall thickno	(Specify)					
☐ Steel ☐ State ☐ Steel ☐ Steel ☐ State ☐ Gain SCREEN OR PERFO	R PERFORATION M inless Steel	ATERIAL: berglass	used (open hole	Wall thickno	(Specify)					
☐ Steel ☐ State ☐ Brass ☐ Gate ☐ Continuous Slot ☐ Louvered Shutter SCREEN_PERFORAT	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S	used (open holorch Cut	Wall thickno	Sess or gauge No/Lox					
☐ Steel ☐ State ☐ Steel ☐ State ☐ Brass ☐ Gate ☐ Continuous Slot ☐ Louvered Shutter ☐ SCREEN-PERFORATE ☐ GRAVEL PARTIES	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om ft. to 600	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holft. to .	CSpecify)	ft. to ft.				
☐ Steel ☐ State ☐ Steel ☐ State ☐ Brass ☐ Ga SCREEN OR PERFO! ☐ Continuous Slot ☐ Louvered Shutter SCREEN-PERFORAT ☐ GRAVEL PA 9 GROUT MATERI	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om ft. to 60	orch Cut	Wall thickned Dother Orilled Holes [None (Open Holes in the content of the cont	Ses or gauge No/Lox (Specify)	ft. to ft.				
Steel Stael Galler Steel Galler Steel Stael Galler Stael Galler Screen OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PASSES GROUT MATERIA Grout Intervals: From	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om ft. to 60	orch Cut	Wall thickned Dother Orilled Holes [None (Open Holes in the content of the cont	Ses or gauge No/Lox (Specify)	ft. to ft.				
Steel Sta Brass Ga SCREEN OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om 24 ft. to 40 T Cement grout B Bft., From	used (open hole orch Cut	Wall thickned Other e) Orilled Holes [None (Open Hol	CSpecify)	ft. to ft.				
Steel Stael Gascreen O Gascreen OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om 24 ft. to 40 T Cement grout B B ines Pit Privy	used (open hole orch Cut	Wall thickned Other e) Orilled Holes [None (Open Hol	Sess or gauge No/Lox* (Specify)	ft. to ft ft. to ft ft. Storage				
Steel State State Steel State Stat	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om 24 ft. to 20 Cement grout B III. From Pit Privy III. Sewage La	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holft. to Otherft., From Livestock Pens Fuel Storage	(Specify)	ft. to ft ft. to ft ft. Storage Water Well				
Steel	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to CO T Cement grout B T T B T T T T T T T T T T T T T T T T	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the to one of the o	(Specify)	ft. to ft ft. to ft ft. Storage Water Well				
Steel State State Steel State Stat	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om	orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well				
Steel	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to CO T Cement grout B T T B T T T T T T T T T T T T T T T T	orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well?	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om 1. ft. to 1.00 Com 2.1 ft. to 1.00 Cement grout B ines Pit Privy I Sewage La Pit Feedyard Distance from w	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Stael Stael Gascreen Or Brass Gascreen Or Perform Continuous Slot Louvered Shutter Screen-Perforation Gravel Part Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well?	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped Som ft. to CO om 24 ft. to Som The first of Som The	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFO! Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Septic Tank Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO Column To	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 T Cement grout B T Distance from w OGIC LOG	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Septic Tank Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO Column T	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped Som ft. to CO om 24 ft. to Som The first of Som The	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Steel Sta Gascreen Or Perform Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO C C C C C C C C C C C C C C C C C C	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 T Cement grout B T Distance from w OGIC LOG	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol ft. to Other ft. to Other ft., From Livestock Pens Fuel Storage Fertilizer Storage	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFORM Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Septic Tank Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO Column T	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 Com 24 ft. to 50 Cement grout B B ines Pit Privy T Sewage La Pit Sewage La Pit Seedyard OGIC LOG	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Steel Sta Gascreen Or Perform Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO C C C C C C C C C C C C C C C C C C	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 Com 24 ft. to 50 Cement grout B B ines Pit Privy T Sewage La Pit Sewage La Pit Seedyard OGIC LOG	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFO! Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO C C C C 23 30 50 50 55	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 Com 24 ft. to 50 Cement grout B B ines Pit Privy T Sewage La Pit Sewage La Pit Seedyard OGIC LOG	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Hol	Sess or gauge No/Laux (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well				
Steel Sta Brass Ga SCREEN OR PERFO! Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possit Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO TO TO TO TO TO TO	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 com 24 ft. to 50 T Cement grout S B ines Pit Privy T Sewage La Pit Feedyard OGIC LOG OGIC LOG ATERIAL: Prove T T T T T T T T T T T T T T T T T T T	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the took	css or gauge No// (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well JGGING INTERVALS				
Steel Sta Brass Ga SCREEN OR PERFO! Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possit Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? To FROM TO To To To To To To To	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com L ft. to LeC com 2 L ft. to	used (open hole orch Cut	Wall thickne Other Orilled Holes [None (Open Hol	css or gauge No/Lox* (Specify)	ft. to ft ft. to ft ft. Storage Water Well as Well JGGING INTERVALS				
Steel Sta Steel Sta Brass Ga SCREEN OR PERFOI Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO TO TO TO TO TO TO A 3 TO TO TO TO TO TO TO A 3 TO TO TO TO TO TO A 3 TO TO TO TO TO TO A 4 TO TO TO TO TO A 5 TO TO TO TO TO A 6 TO TO TO TO TO A 7 TO TO TO TO TO TO A 8 TO TO TO TO TO TO A 9 TO TO TO TO TO TO A 1 CONTRACTOR'S Under my jurisdiction a	R PERFORATION M inless Steel Fit lyanized Steel Co RATION OPENINGS Mill Slot Key Punched Text CK INTERVALS: Fr CK INTERVALS: F	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com L. ft. to LeC com 2.4 ft. to	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the tother of t	Constructed, reconstructed, recons					
Steel Sta Steel Sta Brass Ga SCREEN OR PERFOI Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? 10 FROM TO TO TO TO TO TO TO A 3 TO TO TO TO TO TO TO A 3 TO TO TO TO TO TO A 3 TO TO TO TO TO TO A 4 TO TO TO TO TO A 5 TO TO TO TO TO A 6 TO TO TO TO TO A 7 TO TO TO TO TO TO A 8 TO TO TO TO TO TO A 9 TO TO TO TO TO TO A 1 CONTRACTOR'S Under my jurisdiction a	R PERFORATION M inless Steel Fit lyanized Steel Co RATION OPENINGS Mill Slot Key Punched Text CK INTERVALS: Fr CK INTERVALS: F	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S om	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the tother of th	constructed, reconstructed on (mo-day-year)	ft. to ft ft. to ft ft. Storage Water Well as Well JGGING INTERVALS ucted, or plugged owledge and belief.				
Steel Sta Steel Sta Brass Ga SCREEN OR PERFOI Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? Other (Specify) Direction from well? 10 FROM TO TO TO TO TO A 3 TO TO TO A 3 TO TO TO A 3 TO TO TO A 4 TO TO TO A 5 TO TO TO A 6 TO TO TO A 7 TO TO TO A 8 TO TO TO A 9 TO TO TO A 1 CONTRACTOR'S Under my jurisdiction a Kansas Water Well Counder the business name INSTRUCTIONS: Send of the	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 com 2 ft. ft. to 60 com 6 ft.	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the total) of the total of	Constructed, reconstructed reconstructed, reconstructed r	ft. toftft. toft. Storage Water Well as Well JGGING INTERVALS ucted, or plugged owledge and belief.				
Steel Sta Steel Sta Brass Ga SCREEN OR PERFOI Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA GROUT MATERI Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer L Other (Specify) Direction from well? Other (Specify) Direction from well? 10 FROM TO TO TO TO TO A 3 TO TO TO A 3 TO TO TO A 3 TO TO TO A 4 TO TO TO A 5 TO TO TO A 6 TO TO TO A 7 TO TO TO A 8 TO TO TO A 9 TO TO TO A 1 CONTRACTOR'S Under my jurisdiction a Kansas Water Well Counder the business name INSTRUCTIONS: Send of the	R PERFORATION M inless Steel	ATERIAL: berglass PVC oncrete tile None ARE: Gauze Wrapped T Wire Wrapped S com ft. to 60 com 2 ft. ft. to 60 com 6 ft.	used (open hole orch Cut	Wall thickned Other Orilled Holes [None (Open Holes of the total) of the total of	constructed, reconstructed on (mo-day-year)	ft. toftft. toft. Storage Water Well as Well JGGING INTERVALS ucted, or plugged owledge and belief.				