	WELL R			WWC-5			ion of Water				
	Record			ge in Well Use			rces App. No		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK				Fraction NE'4 NE'4 NW ½	NE ¼	Secti	on Number 07	Township Numb		ge Number ☐ E ■ W	
	ast Name: KOE	HLER	First: JOHN	Street or	treet or Rural Address where well is located (if unknown, distance and						
Business: Address: 2150 N PARKDALE CT direction from nearest town or intersection): If at owner's address									r's address,	check here:	
Address:											
City:	WICHITA	ZIP: 67212			1						
3 LOCAT		4 DEPTH	OF COM	MPLETED WELL:							
SECTIO	N BOX:	Depth(s) Gro	Depth(s) Groundwater Encountered: 1)				(accuman degrees)				
N		WELL'S STATIC WATER LEVEL: 35.					Horizontal Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
	χI	below land surface, measured on (mo-day-yr).!				2016		S (unit make/model:)			
NW	NE	above land surface, measured on (mo-day-yr Pump test data: Well water was				······ (WAAS enabled? ☐ Yes ☐ Land Survey ☐ Topographic Map				(o)	
w	E	after hours pumpingg				Online Mapper:					
sw	SE	Well water was ft.									
		after hours pumping					6 Elevation:ft. ☐ Ground Level ☐ TOC				
1	S	Bore Hole Diameter:10.5 in. to60									
mile in. to ft.											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID											
☐ Housel	hold	6. Dewatering: how many wells?					11. Test Hole: well ID				
. –	Lawn & Garden 7. Aquifer Recharge: well ID						☐ Cased ☐ Uncased ☐ Geotechnical				
2. Irrigati	Livestock 8. ☐ Monitoring: well ID Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores?				
3. Feedlo	_ \$						b) Open Loop Surface Discharge Inj. of Water				
4. Industr			Recovery					er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING IOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded											
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other											
Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. SDR-26											
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
SCREEN-PERFORATED INTERVALS: From 50 ft. to 60 ft., From ft. to ft. from ft., From ft., From ft., From ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From23 ft. to60 ft., From ft. to ft., From ft., From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
☐ Septic	Tank [*]		ateral Line				ivestock Pens	☐ Insecti	cide Storage		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well											
■ Watertight Sewer Lines											
☐ Other (Specify) Direction from well? EAST Distance from well? 100+ ft.											
10 FROM 0	TO 1	OP SOIL	ITHOLO	GIC LOG	FROM	M	TO L	ITHO. LOG (cont.) or	PLUGGIN	G INTERVALS	
		CLAY	*****		+	+					
		INE SAND									
30	60 N	MED GRAVE	L								
		***			-						
					Notes						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .19/3.1/20.16 and this record is true to the best of my knowledge and belief.											
Kansas Wa	ter Well Con	tractor's Lice	nse No.	384 This W	ater Well	Reco	rd was com	leter on Imo-day-v	ear) .11/.01	2016	
under the b	usiness name	of WENING	GER DR	This W		Sign	ature	-0			
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.											
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015											