			W	/ATEF	R WE	LL RI	ECC	RD	Form	ww	'C-5 I	KSA 82a	-1212						
111	N OF WATE	FF	FRACTION					SECTION NUMBER			ER TOW					RANGE NUMBER			
Sedgw				NE	1/4	SW	1/4		1/4	L	14	Т	27	S		R	<u>1W</u>	E/W	
ì		n nearest town or	r city stree					city?											
	W. Elm		AHOL		_	, Kan	isas			-								···	
	ADDRESS		228 W.		_									Board of A	griculture, D	Division	of Wate	er Resource	
100,01.7		_	vichita.	_						ZIF	CODE:		Ap	plication N	umber:				
3 LOCATE	WELL'S LO		· -	TH OF C		ETED V	VELL:	-	40	ft.		ELEVATION	ON:						
WITH AN	N "X" IN SEC		₽	f ground						ft.				ft.				ft.	
	1			STATI				12	FT.	BELO\	V LAND S	SURFACE MI	EASURE	D ON mo	o/day/yr:	3	3/15/1	7	
	NW	- NE			Pum	p test da	ata:	Well w	ater wa	s		ft. afte	er	hou	rs of pum	ping (@	gpm	
w Zie	1	T.	Es	t. Yield:		gpm		Well w	ater wa			ft. afte	er	hou	irs of pum	ping (@	gpm	
	1	E		Hole Dia		1:		in.		to 4	D 1	ft. and		in.		t		ft.	
<u></u>	sw	-SE		WATER mestic	_	USED / eedlot	AS: 5	Public w	ater su	nnly (7. Lawn	and garden	only	. Dewate	-		-	on well	
>	sw	1		gation								onditioning		. Monito	ring well			cify below)	
'	s			_				submitted to			YES	NO			, what me	o/day			
<u> </u>			submitt	ted			-				Was	Water Well	Disinfecte	ed?	(YES)		NO		
(~)	'E OF CAS Steel	ING USED: 3. RPM	A (SR)	5. Wro	ought Ir	on	7.	Fiberglas	s	9. Ot	ner (Speci	fy below)	CASING	JOINTS:				hreaded	
	PVC	> 4. ABS	, ,	6. Ast	estos-(Cement	8.	Concrete	tile	SDF	R-26				Welde	đ	C	lamped	
Blank casir				to	o 4	5 ft	.,	Dia.		in.	to	ft.,	Dia		in.	to		ft.	
Casing he	eight above	land surface:		12 i	n.,		v	Veight:	2.35	lb.	s. / ft.	w	all thickn	ess or ga	uae No.		214		
_	-	R PERFORAT	TION MA													•-			
1. Steel	3	. Stainless Ste	el	5. Fiber	glass	(7. F	PVC		9. AE	3S	1	1. Other	(specify)					
2. Brass	s 4	. Galvanized		6. Conc	rete Tile	e	8. I	RMP (SR))	10. As	bestos-C	ement 1	2. None	used (ope	n hole)				
SCREEN C	OR PERFO	RATION OPE	NINGS A	RE:															
1. Contin	nuous slot	3. M i	ill slot		5. G a	auzed w	vrappe	ed		7. Tor	ch cut	9.	Drilled I	noles	11	. Non	e (ope	n hole)	
2. Louve	red shutte	r 4. Ke	ey punch	ned	6. W i	ire wraj	pped			8. Sa v	v cut	10.	Other (s	pecify)					
SCREEN -	PERFORA	TION INTERV	'AL	From		30	ft.	1	to	40	ft.,	From		ft.		to		ft.	
				From			ft.	1	to		ft.,	From		ft.		to		ft.	
GF	RAVEL PA	CK INTERVAL	S:	From		24	ft.		to	40	ft.,	From		ft.		to		ft.	
				From			ft.		to		ft.,	From		ft.		to		ft.	
6 GROU	T MATERI	ALS: 1. N	leat cem	ent		2. Cer	ment (Grout		3	Bentoni	te	Oth	er ber	itonite	hole	plug		
Grout Ir	4 f	t.	to	24	ft.,	From		ft.	to	fi	t., I	rom	ft.		to	ft.			
What is the 1. Septic	ele contan teral line	contamination:			v		10. Liv	estoci	pens	13, In	13. Insecticide storage			15. Oil well/Gas well					
2. Sewer			ess Pool	0.0000000000000000000000000000000000000					11. Fu				14. Abandon water well				16. Other (specify below)		
			epage p	14		eed ya	_				storage								
Direction fr	tight sewerom well?	West		Jage pit					,			Ho	How many feet? 10 ft. plus						
From	То	l	LIT	HOLO	GIC	LOG			Fr	om	То				OGIC		}		
0	3	topsoil										ļ							
3	10	clay							+						-				
10 18	<u>18</u> 40	fine sand medium sa	and						+			1			•				
		32	anu																
								·											
									+			1				***			
												1							
		<u> </u>										 							
									+										
7 Contr	actor's or I	andowner's C	ertificatio	n: Thie :	water w	ell was	1 (^	onstruct	, d		onstruct	ed or 3	plue	ged	under m	ny juri	sdiction	and	
			CI UIICA (IU	3/15/		CH Was	_			•		y knowledge				, ,			
	•	(mo/day/year)			• '										/17/17				
		Contractor's L			_			ins water i	well rec		•	ed on (mo/da				,	_		
under the	e business	name of Ha	ırp We	il and	Pum	p Serv	vice			by (sig	inature)		IM	'עמגר	ς \mathcal{H}	au	rn		