		WATER V	VELL R	ECORD	Form W	WC-5 I	KSA 82a-1	212		
14.	1 LOCATION OF WATER WELL: FRACTION					SECTION NUMBER TOWNSHIP NUMBER			RANGE NUMBER	
Sedgwick Distance and direction fro	m conmet town or o	NE 1/	-	1/4 N	W 1/4	2	<u> </u>	27 s	R 1	V E/W
2948 N. Gulf			chita, Ka							
2 WATER WELL O		H HOMEBU								
RR#,ST. ADDRESS		Board of Agriculture, Division of Water Resource								
CITY,		chita, Kansas				ZIP CODE:		Application Nu	mber:	
3 LOCATE WELL'S LO	CTION BOX:	DEPTH OF COM	APLETED V	VELL:	40	t.	ELEVATION	ł:		
N N		Depth of groundwar		_		ft.		ft.		ft.
		WELL'S STATIC W				OW LAND S		SURED ON mo/	day/yr. 5/3/	0/17
ww	NE	Est. Yield:	omp test da		water was water was		ft. after ft. after		s of pumping @	gpm
w Wile		Bore Hole Diamet	gpm ter 1		water was	40 :	t and	in.	s of pumping @ to	gpm ft.
-		WELL WATER TO	BE USED					9 Dewater		ction well
sw	SE		3. Feedlot				and garden o	nty>	12. Other (S	pecify below)
		2. Irrigation Was a chemical/bac	4. Industria		-	oty 8. Airco		10. Monitori	ng well wh <u>at</u> mo/day/yr i	wae eamnlo
, s		submitted	kenologicai sa	этрге ѕиргліктер	to Department		Water Well Dis			NO
5 TYPE OF CAS		5. Wroug	ht Iron	7. Fibergla	ass 9.	Other (Speci	fy below) C	ASING JOINTS:	Glued	Threaded
1. Steel	3. RPM (SR)	los-Cement		9	DR-26			Welded	Clamped
2. PVC Blank casing diameter	> 4. ABS er 5	in. to				4-		D 1-		_
1		13	30 ft	•	in.	to	ft.,	Dia.	in. to	ft.
Casing height above		4744		Weight:	2,35	1 b s. / ft.	Wall	thickness or gau	ge No214	
	3. Stainless Steel		s (7. PVC	9.	ABS	11.	Other (specify)	N/A	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERFO	RATION OPENII	NGS ARE:								
1. Continuous slot	3. Mill	slot 5	. Gauzed w	rapped	7.	Forch cut	9. D	rilled holes	11. None (open hole)
2. Louvered shutte	er 4. Key	punched 6	. Wire wrap	ped	8.	Saw cut	10. O	ther (specify) N	//A	
SCREEN - PERFORA	ATION INTERVAL	L From	30	ft.	to 40	ft.	From	ft.	to	ft,
		From		ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	24	乱	to 40	ft.,	From	ft.	to	ft.
		From		ft.	to	ft.,	From	ft.	to	fŁ
6 GROUT MATERI	IALS: 1. Nea	at cement	2. Cen	nent Grout		3. Bentonit	e	Other bent	onite hole pl	
Grout Intervals: From 4 ft. to 24 ft., From						ft. to		From	ft. to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy					10. Livest	10. Livestock pens		13. Insecticide storage 15. Oil well/Gas		Gas well
2. Sewer lines	9 Courses Income 144							14. Abandon water well 16. Other (specify below)		
3. Watertight sewe		page pit	9. Feed ya	rd	12. Fertili:	er storage				-
Direction from well? East						_	How	many feet? 20	ft. plus	
From To		LITHOLOG	IC LOG		From	To		LITHOLO	OGIC LOG	
0 3	topsoil					+	<u> </u>			_
	clay fine sand				-		 	<u> </u>		
15 40	medium san	ıd								
	<u> </u>					1				
							 			
					+	 	 			
							<u> </u>			
	<u></u>				-	<u> </u>	<u> </u>			
	<u> </u>						<u> </u>			
 	i						J			
Contractor's or L	andowner's Cert	ification: This water	er well was '						under my jurisdict	ion and
was completed on ((mo/day/year)	5/30/17		and this reco	ord is true to t	he best of my	knowledge an	d belief.		
Kansas Water Well	Contractor's Lice	nse No. 236		This water	well record v	vas complete	d on (mo/day/y	ear) 5/3	1/17	
under the business	name of Harp	Well and Pu	mp Serv	ice	by (signature)	7	odd S	Harn	•