

WATER WELL R		WWC-5 1368	DIV	vision of Water			
Original Record Correction Change 1 LOCATION OF WATER WELL:				arces App. No.		Vell ID Range Number	
County:		1/4 1/4 1/4			T S	$R \square E \square W$	
2 WELL OWNER: L	First:			where well is located (if u			
Business: Address:						ddress, check here:	
Address:							
City: 3 LOCATE WELL	State:	ZIP:					
WITH "X" IN	IPLETED WELL: ft.			5 Latitude:(decimal degrees)			
SECTION BOX:	(1) (1)			Longitude:			
N		ATER LEVEL: ft.			Source for Latitude/Longitude:		
	below land surface, measured on (mo-day-yr)			· GP	S (unit make/model:)	
NW NE	D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.				 · (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map ☐ Online Mapper: 		
w Xe	-	after hours pumping gpm					
SW SE	ater was ft.						
	after hour Estimated Yield:	s pumping			vation:ft. 🔲 Ground Level 🔲 TOC		
		in. to ft. and			Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map		
1 mile	in. to	in. to ft.					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease							
□ Household 5. □ Public water supply. wen ID 6. □ Dewatering: how many wells? .							
Lawn & Garden							
	8. 🗌 Monitorir		12. Geothermal: how many bores?				
2. Irrigation 9. Environmental Remediation: well ID. 3. Feedlot Interpretation Air Sparge Soil Vapor Ex				a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water			
4. Industrial		13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination:							
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage							
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well							
□ Other (Specify)							
Direction from well?10 FROMTO							
10 FROM TO	LITHOLO	GIULUG	FROM	10	LITHO. LOG (cont.) or PL	UGGING INTERVALS	
├ ─── ├							
			Notes:	II			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)							
under the business name of							
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							