		WATERWE	LL RECORD	Form vv	WC-5 K	SA 82a-12	12		
1 LOCATION OF WA	ATER WELL:	FRACTION	C***		CTION NUMBE		IP NUMBER	RANGE N	
Sedgwick		SW 1/4		NE 1/4	2	T 2	27 S	R 1V	V E/W
Distance and direction from nearest town or city street address of well if located within city?									
2510 Parad		Wichita, k							
2 WATER WELL OWNER: FAHSHOLTZ CONSTRUCTION									
RR#,ST. ADDRESS,BOX #: P.O.Box 818 Board of Agriculture, Division of Water Resource									
CIT	Y, STATE: And	over,Kansas			ZIP CODE: 6	57202	Application Num	ber:	
3 LOCATE WELL'S	LOCATION 4	DEPTH OF COMPL	ETED WELL:	40 ft		ELEVATION:			
WITH AN "X" IN	SECTION BOX: Dep	oth of groundwater	Encountered:		ft.		ft.		ft.
		ELL'S STATIC WA	_	0 FT. BEL	OW LAND SE	JRFACE MEAS	URED ON mo/d	ay/yr: 9/1	/17
NW	NE			ell water was		ft. after		of pumping @	gpm
		Est. Yield:		ell water was		ft. after		of pumping @	gpm
w <u>S</u> w	E B	ore Hole Diameter	12 in.		40 ft		in.	to	ft.
[-	l we	ELL WATER TO BE	USED AS:				9. Dewaterin	44 1-1-	ction well
sw	SE - 1.	Domestic 3. I	Feedlot 5. Pub	lic water supply	7. Lawn	and garden on		.9	pecify below)
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well									
			ological sample submit	ited to Department?		NO		vhat mo/day/yr v	•
		omitted			Was \	Nater Well Disir	fected?	YES	NO
<u> </u>	CASING USED:	5. Wrought I	ron 7. Fibe	rglass 9.	Other (Specify	y below) CA	SING JOINTS: 🤇	Glued	Threaded
1. Steel	3. RPM (SR	•	Coment 8 Con	crete tile SI	DR-26			Welded	Clamped
2. PVC	4. ABS	6. Asbestos-		crete tile					
Blank casing dian	neter 5	in. to 3	30 ft., Di	a. in.	to	ft.,	Dia. i	n, to	ft.
Casing height ab	ove land surface:	12 in.,	Weigh	nt: 2.35	lbs. / ft.	Wali ti	nickness or gaug	e No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel	Stainless Steel	Fiberglass	7. PVC	9.	ABS	11. O	ther (specify)		
2. Brass	4. Galvanized	Concrete Ti	e 8. RMP	(SR) 10.	Asbestos-Ce	ment 12. N	one used (open l	hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous s			auzed wrapped	7. T	orch cut	9. Dril	led holes	11. None (d	open hole)
2. Laurensed abo									
2. Louvered shu	itter 4. Key pu	inched 6. W	ire wrapped	0.3	aw cut	10. Otr	er (specify)		
SCREEN - PERFO	RATION INTERVAL	From	30 ft.	to 40	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL	PACK INTERVALS:	From	24 ft.	to 40	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.	From	ft.	-	
6 GROUT MATE	DIALC:							to	ft.
	1. Near		2. Cement Grout		3. Bentonite	•	Other bent	onite hole pl	ug
Grout Intervals	From 4 t source of possible co	ft. to	24 ft., F	rom f	. to	ft.,	From	ft. to	ft.
1. Septic tank	•	7	Pit privy	10. Livesto	ck pens	13. Insect	icide storage	15. Oil well/0	Sas well
8 Savings lagger 11 First storage 14 About 11 ft Other (specify be								ecify below)	
2 Sewer lines 5. Cess Pool 14. Addition water wen									
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? North How many feet? 50 ft. plus									
		ITHOLOGIC	LOG	LErom	T T0	How III			
		LITHOLOGIC	LOG	From	<u> </u>		LITHOLO	GIC LOG	
$\begin{array}{c c} 0 & 3 \\ \hline 3 & 8 \end{array}$	topsoil clay								
8 16	fine sand				+				
16 40	medium sand				<u> </u>				
					ļ				
					-				
<u></u>									
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 9/1/17 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/5/17									
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp									
1									