		WATER W	VELL RE	CORD	Form W	WC-5 K	(SA 82a-	1212				
1 LOCATION OF WATER WELL: FRACTION					SEC	SECTION NUMBER TOWNSHIP NUMBER				RANGE NUMBER		
Sedgwick		NE 1/4		1/4 NE	1/4	2	Т	27 s	R	1W	Ε/W	
Distance and direction from 5003 W. Way		Wichita, K		nin city?								
2 WATER WELL	077	ARP HOMES										
RR#,ST. ADDRESS		1 N. Collectiv						Board o	f Agriculture, Divis	sion of Wa	ter Resource	
CITY	, STATE: Wic	chita, Kansas				ZIP CODE: 6	7206	Application	Number:			
3 LOCATE WELL'S L	OCATION 4	DEPTH OF COM	PLETED WE	ELL:	3 7 ft.		ELEVATIO	N:				
WITH AN "X" IN SE		epth of groundwate	er Encounter	ed:	1	ft.		ft.			ft.	
		VELL'S STATIC W	ATER LEVE	L 10	FT. BEL	OW LAND SI	URFACE ME	ASURED ON	mo/day/yr:	10/31/	17	
-MM-	NE		ump test data		ater was		ft. after		ours of pumpin		gpm	
w Mile		Est. Yield:	gpm er 12		ater was	27 "	ft. after		nours of pumpin		gpm	
_ _		Bore Hole Diamete VELL WATER TO	-	in. S·	to	37 ft	. and		n. 	to 1. Injecti	ft.	
sw -			B. Feedlot		ater supply	7. Lawn	and garden	only 9. Dewa	atomig	-	cify below)	
		2. Irrigation 4	l. Industrial	6. Oil field	water supp	ly 8. Air co	nditioning		toring well			
S		Was a chemical/bact submitted	eriological sam	ple submitted to	Department?	YES Was V	NO Water Well D	, .	es, what mo/d	ay/yr wa:		
5 TYPE OF CA					0.7			CASING JOIN	\rightarrow		Threaded	
1. Steel	3. RPM (S	SR) 5. Wrough	nt Iron	7. Fiberglas	•	Other (Specify OR-26	y below)	CASING JOIN	Welded		Clamped	
2. PVC	> 4. ABS	6. Asbesto	os-Cement	8. Concrete	tile SL	OK-20						
Blank casing diamet	er 5	in. to	25 ft.,	Dia.	in.	to	ft.,	Dia.	in.	to	ft.	
Casing height abov	e land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wa	II thickness or	gauge No.	.214		
TYPE OF SCREEN				7. PVC		ADC	11	Other (enecify	۸			
	Stainless Steel Galvanized	 Fiberglass Concrete 	_	8. RMP (SR)		ABS Asbestos-Cei		. Other (specify . None used (o				
			THE	O. PAWIF (SIX)	10.	ASDES105-CE	ment 12	. 140116 0360 (0	pen noie)			
1. Continuous slo			Gauzed wra	nned	7 T	orch cut	، ه	Drilled holes	11 N	one (ope	en hole)	
				• •		aw cut				one (opi	en noie,	
2. Louvered shutt	,		Wire wrapp		_	aw cut	10. (Other (specify)			
SCREEN - PERFOR	ATION INTERVAL	, , ,			o 32	ft.,	From	ft.		to	ft.	
25.45.54		From	_		0	ft.,	From	ft.		to	ft.	
GRAVEL PA	ACK INTERVALS:	From			to 37	ft.,	From	ft.		to	ft.	
		From	f	t.	to	ft.,	From	ft.		to	ft.	
6 GROUT MATER	1. 1100	t cement ff. to	•	ent Grout		3. Bentonite			entonite ho	le plug	,	
Grout Intervals: What is the nearest s	From 4 ource of possible of	contamination:		., From	ft		ft.,		ft.	to	ft.	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15.									ge 15. Oil	well/Gas	s well	
2. Sewer lines	5. Cess	Pool	8. Sewage la	igoon	11. Fuel st	orage	14. Ab	andon water v	vell 16. Oti	ner (spec	cify below)	
3 Watertight sew		age pit	9. Feed yard		12. Fertilize	er storage						
Direction from well?	East	LITUOLOGI	C 1 O C	······································	T =====	T =-	How	many feet?				
From To	topsoil	LITHOLOGI	C LOG		From	То		LITHO	LOGIC LC) <u>G</u>		
3 11	sandy clay					1						
11 24	fine sand											
24 37	medium san	d				-						
					+							
 	 			· · · · · · · · · · · · · · · · · · ·	-							
					-							
7 6	L	Carlly a series									-	
		fication: This water	-			econstructed		plugged	under my ju	ırisdictior	1 and	
was completed on	(mo/day/year)	10/31/201	/ a	and this record	is true to th	e best of my	knowledge a	nd belief.				
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/3/17												
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb												