WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER NWSedgwick NE SE 1/4 28 Т 27 S 1W Ε/W Distance and direction from nearest town or city street address of well if located within city? 7761 W. Kellogg Drive Wichita, Kansas WATER WELL OWNER: XLT Board of Agriculture, Division of Water Resource 7761 W. Kellogg Drive RR#,ST. ADDRESS,BOX #: Wichita, Kansas CITY, STATE: Application Number: ZIP CODE 80 4 DEPTH OF COMPLETED WELL: LOCATE WELL'S LOCATION **ELEVATION:** WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. ft. 25 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was NW NE ft. after hours of pumping @ Est. Yield: apm Well water was ft. after hours of pumping @ gpm Ξ 12 Bore Hole Diameter 80 ft WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering SW 5. Public water supply 7. Lawn and garden only SE 1. Domestic 3. Feedlot 12. Other (Specify below) 6. Oil field water supply 8. Air conditioning 2. Irrigation 10. Monitoring well 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) submitted (YES) Was Water Well Disinfected? 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: ( Threaded 5. Wrought Iron 7. Fiberglass 1. Steel 3. RPM (SR) Welded Clamped SDR-26 2. PVC Asbestos-Cement 8. Concrete tile 4. ABS Blank casing diameter 5 60 Dia. in. Dia. to in. ft. to 12 Casing height above land surface: in Weight: 2.35 Wall thickness or gauge No. lbs. / ft. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9. ABS 11. Other (specify) 1. Steel 3. Stainless Steel 5. Fiberglass 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 60 80 to ft., From ft to ft. ft. From to ft., From ft to 24 **GRAVEL PACK INTERVALS:** to 80 From ft., From to ft. From ft. to ft.. From ft ft. **GROUT MATERIALS:** Other 6 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: ft. 24 ft to ft.. From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 4. Lateral lines 1. Septic tank 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5. Cess Pool 2. Sewer lines 9. Feed yard 12. Fertilizer storage 3 Watertight sewer line 6. Seepage pit West Direction from well? How many feet? 100 ft. plus LITHOLOGIC LOG From From Τo To LITHOLOGIC LOG topsoil 18 clav 18 fine sand 55 medium sand

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 10/24/2017 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/30/17

by (signature)

Todd S. Harp

under the business name of Harp Well and Pump Service