		WATER WI	ELL REC	ORD	Form WV	VC-5 K	SA 82a-12	12		
1 LOCATION OF WATE	R WELL:	FRACTION	~			TION NUMBER		PNUMBER	RANGE NU	
Sedgwick		SW 1/4	SE 1/	/4 SE	1/4	21	т 2	<u>7 S</u>	R 1W	E/W
Distance and direction fro	m nearest town or city s	street address of well	if located within	n city?						
7330 W. Map		ita, Kansas								
2 WATER WELL	OWNER: BRU I	NSWICK PI	LACE					Dependent April		
RR#,ST. ADDRESS		W. Maple						Board of Agr	iculture, Division of W	ater Resource
CITY,	STATE: Wich	ita, Kansas			ZI	P CODE:		Application Nur	nber:	
3 LOCATE WELL'S LO	DCATION 4	DEPTH OF COMP	LETED WEL	L: 8	30 ft.		ELEVATION:			
WITH AN "X" IN SEC	CTION BOX:	th of groundwater			ft.			ft.		ft.
N N		ELL'S STATIC WA		25			JRFACE MEASU		dav/yr: 9/12	
					ater was	W DAND ST				
NW	NE		np test data:				ft. after ft. after		of pumping @	gpm
Mile w		Est. Yield:	gpm 12		ater was to 8	00 4			s of pumping @	gpm
≥ "		bre Hole Diameter		in.	το σ	50 ft	. and	in.	to	ft.
	1	ELL WATER TO B Domestic 3.	Feedlot	5 Public w	ater sunnly	7. Lawn	and garden only	> ^{9. Dewateri}		tion well
					water supply			10. Monitoria	12. Other (Sp na well	ecity below)
		as a chemical/bacter				YES	NO		what mo/day/yr w	as sample
S		omitted	lological sample	e submitted to	Department		Water Well Disin			10
5 TYPE OF CAS					0.0	that (Casaif		SING JOINTS:	Glued	Threaded
1. Steel	3. RPM (SR	5. Wrought	Iron	7. Fiberglas	•	ther (Specify	y Delow) CAS	Sind Joint S.	Welded	
2. PVC	> 4. ABS	6. Asbestos	-Cement	8. Concrete	tile SD	R-26			VVEIGEG	Clamped
Blank casing diameter		in, to	60 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
, i i i i i i i i i i i i i i i i i i i		1.	00,			-				·
Casing height above		12 in.,		Weight:	2.35	bs. / ft.	Wall th	ickness or gaug	ge No214	
TYPE OF SCREEN				- DVG			44.00			
1. Steel	Stainless Steel	5. Fiberglass		. PVC	9. A			her (specify)		
2. Brass	4. Galvanized	Concrete T	ïle 8	8. RMP (SR)	10. A	sbestos-Ce	ment 12. No	one used (open	hole)	
SCREEN OR PERFO	DRATION OPENING	SS ARE:								
1. Continuous slo	t 3. Mill slo	ot 5. 0	Gauzed wrap	ped	7. To	rch cut	9. Dril	led holes	11. None (o	pen hole)
2. Louvered shutte	er 4. Key pu	unched 6 V	Nire wrappe	d	(8 Sa	w cut	10. Oth	er (specify)		
2. Louvered shall	ei 4. Keypt			u						
SCREEN - PERFORA	ATION INTERVAL	From	60 ft.	t	o 80	ft.,	From	ft.	to	ft.
		From	ft.	t	0	ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	24 ft.		to 80	ft.,	From	ft.	to	ft.
		From	ft.		to	ft.,	From	ft.	10	
									to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite							•	Other bent	onite hole plu	ıg
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.								ft.		
		7	Pit privy		10. Livestoc	k pens	13. Insect	icide storage	15. Oil well/G	ias well
1. Septic tank 4. Lateral lines 11 Evel storage 4. At a storage 16. Other (specify below)									ecify below)	
2. Sewer lines 5. Cess Pool										
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage										
Direction from well?	East						How m	any feet? 10		
From To		LITHOLOGIC	CLOG		From	То	<u> </u>	LITHOLC	OGIC LOG	
0 3	topsoil									
3 20	clay					ļ				
20 55	fine sand									
55 80	medium sand				_					
							· · · · ·			
							1			
					-	1				
1						1	1			
			·							
7 Contractorie or	andowner's Cartific	cation. This water	well was 1 (construct		constructe	d or 3	plugged	under my jurisdicti	ion and
	Landowner's Certific					constructe		plugged	under my jurisdicti	ion and
7 Contractor's or was completed on		cation: This water 9/12/17					d or 3. knowledge and		under my jurisdicti	ion and
was completed on		9/12/17		nd this record	d is true to the	e best of my		belief.	under my jurisdicti	ion and
was completed on Kansas Water We	ı (mo/day/year)	9/12/17 se No. 236	ar	nd this record	d is true to the	e best of my	knowledge and d on (mo/day/yea	belief. ar) 9/1		