WAT	ER WELL RECORD	Form WW	'C-5 K	SA 82a-121	2		
1 1					1		
Sedgwick SW 1/4 NE 1/4 NE		1/4	22 T		7 S R 1W E/W		E/W
Distance and direction from nearest town or city street addr							
	iita, Kansas						
2 WATER WELL OWNER: GRAY, Ada					Board of Agric	culture, Division of Wat	er Resource
RR#,ST. ADDRESS,BOX #: 1406 N. Mu			6	7212	•		
CITY, STATE: Wichita, Ka			CODE: 6		Application Num	iber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH C	F COMPLETED WELL:	10 ft.		ELEVATION:			
N Depth of gro	undwater Encountered:	ft.			ft.	1/23/1	<b>18</b> ft.
	ATIC WATER LEVEL 11	FT. BELOV	W LAND SU	IRFACE MEASU	RED ON mo/d	ay/yr:	
	Pump test data: Well w	ater was		ft. after	hours	of pumping @	gpm
1 1 1 1	Jr.	ater was		ft. after	hours	of pumping @	gpm
Est. Yie Bore Hole	Diameter 12 in.	to 4	<b>0</b> ft.	and	in.	to	ft.
	ER TO BE USED AS:		<b>-</b>		9. Dewaterii	ng 11. Injecti	on well
SW SE SE 1. Domest	3. Feedlot 5. Public w	ater supply		and garden only		12. Other (Spe	cify below)
2. Irrigation		water supply		ditioning	10. Monitorin	ı <b>g well</b> vhat mo/day/yr wa:	samnle
S Was a chem submitted	nical/bacteriological sample submitted to	Department?	YES Was V	NO Vater Well Disinf		YES NO	-
						$\sim$	
TYPE OF CASING USED:  1. Steel 3. RPM (SR)  5.	Wrought Iron 7. Fiberglas	•	her (Specify	below) CAS	ING JOINTS: (		hreaded
1	Asbestos-Cement 8. Concrete	tile SDF	₹-26			weided (	Clamped
Blank casing diameter 5 in.	to 28 ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.
12	,						• • •
	in., Weight:	<b>2.35</b> Ib	s. / ft.	wallth	ickness or gaug	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 7. PVC 9. ABS 11. Other (specify)							
1. died							
	or the control of the control	10. 76	3003103-061	12.110	no abca (opon	,,,,,,	
SCREEN OR PERFORATION OPENINGS ARE:						44 Name ( am	
1. Continuous slot 3. Mill slot	5. Gauzed wrapped	7. Tor	rch cut	9. <b>Drill</b>	ed holes	11. None ( ope	en noie)
2. Louvered shutter 4. Key punched	6. Wire wrapped	8. Sav	w cut	10. Othe	er (specify)		
SCREEN - PERFORATION INTERVAL Fro	m <b>28</b> ft.	to 40	ft.,	From	ft.	to	ft.
Fro		to	ft.,	From	ft.	to	ft.
	24	to <b>40</b>	ft.,	From	ft,		
,,,			-			to	ft.
Fro	m ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement	2. Cement Grout	3	. Bentonite	•	Other bent	onite hole plug	Ę.
Grout Intervals: From 4 ft.	to 24 ft., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contaminat	ion: 7. <b>Pit privy</b>	10. Livestoc	k pens	13. Insecti	cide storage	15. Oil well/Ga	s well
1. Septic tank 4. Lateral lines							ify below)
2. Sewer lines 5. Cess Pool 5. Cess Pool 6.							
3. Watertight sewer line 6. Seepage pit	9. Feed yard	12. Fertilizer	storage	U		ft plus	
Direction from well? East	1.00101.00	T Facing	Τ.	How ma	any feet? 50 f		
	LOGIC LOG	From	То		LITHOLC	GIC LOG	
0 3 topsoil		<u> </u>					
3 8 clay 8 15 fine sand		<del> </del>					
15 40 medium sand							
13 To mediani sand							
7		<del>\</del> -			nluge of	under my luck-skets	2024
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and							
was completed on (mo/day/year) 1/	23/18 and this recor	d is true to the	best of my	knowledge and	belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 1/26/18							
under the business name of Harp Well and Pump Service by (signature)  Todd S. Howb							
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp							