		WATE	R WE	ELL R	ECOF	RD F	orm	ww	'C-5 K	(SA 82a-1	212			
1 LOCATION OF WATE	FRACTION						SECT	ION NUMBE	R TOWNS	SHIP NUMBER	RAN	GE NUM	IBER	
Sedgwick		NW	1/4	NW	1/4	NW	1/4		2	Т	27 S	R	1W	E/W
2903 Gulf Bre WATER WELL C	eeze		ita, K	if located	within cit	y? 								
I RR#,ST. ADDRESS		N. Collec		Ste. #A	4						Board o	Agriculture, Division	n of Wat	er Resource
CITY,	STATE: Wich	ita, Kan	sas					ZIF	CODE:		Application	Number:		
LOCATE WELL'S LO WITH AN "X" IN SEC	CTION BOX:	EPTH OF (3	5	ft. ft.		ELEVATION	N: ft.		2/5/1	18 ft.
	WE	LL'S STATI	C WA	TER LEV	/EL	10	FT. E	BELOV	V LAND SI	URFACE MEA	SURED ON	mo/day/yr:		
NW I	- NE		Pun	np test d	ata:	Well wa	ter was	3		ft. after	h	ours of pumping	@	g p m
<u>e</u>		Est. Yield:		gpm	_	Well wa	ter was	s		ft. after	h	ours of pumping	@	gpm
<u>⊕</u> w		ore Hole Dia			2 in	ı.		to 35	5 ft	t. and	i	١.	to	ft.
- sw		LL WATER Domestic		E USED Feedlot		Qublic we		nnly (7 Lawn	and garden o	9. Dewa	iteg	•	on well
	"	Irrigation								nditioning		12. Oth toring well	er (Spe	cify below)
<u> </u>		as a chemical							YES	NO		es, what mo/da	/yr was	sample
		mitted								Water Well Di	sinfected?	YES	NO)
TYPE OF CAS		5. Wr	ought i	ron	7. F	iberglass		9. Oth	ner (Specif	y below) C	ASING JOINT	S: Glued	Т	hreaded
1. Steel	3. RPM (SR	•	hestos	-Cement	8 0	concrete t	مان	SDR	2-26			Welded	C	Clamped
2. PVC	> 4.ABS er 5 i										D'-			
Blank casing diamete		10		25 ft		Dia.		in.	to	ft.,	Dia.	in. t)	ft.
Casing height above			in.,		We	eight:	2.35	lb	s. / ft.	Wal	I thickness or	gauge No.	214	
TYPE OF SCREEN C	OR PERFORATION Stainless Steel	5. Fiber		(7. P\	/C		9. AE	15	11	Other (specify	<i>(</i>)		
	. Galvanized	6. Cond	-	le `	_	MP (SR)			bestos-Ce		None used (o	-		
			1010 11		0. 14	(0/1)		10. 73	DC3103-00		110110 0300 (0	port riole;		
SCREEN OR PERFO 1. Continuous slot			5. G	auzed w	rapped	i		7. Tor	ch cut	9. D	rilled holes	11. No	ne (ope	en hole)
2. Louvered shutte	r 4. Key pu	nched	6. W	/ire wra	ped			8. Sav	v cut	10. C	ther (specify)		
SCREEN - PERFORA	TION INTERVAL	From		25	ft.	to		35	ft.,	From	,			
3CREEN - FERFORA	TIONINTERVAL			23	ft.			33	•	From	ft.	to		ft.
CDAVEL BA	CIZ INITEDVALS:	From		24	ft.	to		35	ft.,	From	ft.	to		ft.
GRAVEL FA	CK INTERVALS:	From		27				33	ft.,	From -	ft.	to)	ft.
т		From			ft.	to)		ft.,	From	ft.	to)	ft.
GROUT MATERI	1. Near c				nent Gr			3.	Bentonite	e	Other b	entonite hol	e plug	
Grout Intervals: What is the nearest so				24	ft.,	From		ft.	to	ft.,	From	ft.	to	ft.
1. Septic tank	4. Lateral			Pit privy	,		10. Liv e	estock	pens	13. Ins e	cticide stora	ge 15. Oil v	vell/Gas	well
2. Sewer lines	5. Cess Pe		8.	Sewage	lagoor	1	11. Fue	el stora	age	14. A ba	ndon water v	ell 16. Oth	r (spec	ify below)
3 Watertight sewe			9.	Feed ya	rd		12. Fer	tilizer	storage					
Direction from well?	East	, c p.r.		•					ŭ	How	many feet?	50 ft. plus		
From To	L	ITHOLO	OGIC	LOG			Fro	om	То			LOGIC LO		
0 3	topsoil													
3 6	clay						<u> </u>							
6 15	fine sand						\vdash							
15 35	medium sand						+							
							+							
							ļ							
							-	_						
							1	\dashv						
							 			-				
				***************************************						-				
														····· ····
Contractor's or L	andowner's Certific	ation: This	water w	vell was	1. Cor	nstructed	D 2	rec	onstructed	d or 3,	plugged	under my jur	isdiction	and
was completed on (2/5/1			_					knowledge ar		, jo		

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year)

under the business name of $\ Harp\ Well\ and\ Pump\ Service$

by (signature)

y/year) 2/7/18 Todd S. Harp