WATER WELL R		WWC-5		sion of Water				
Original Record		ge in Well Use		irces App. No.		Well ID		
1 LOCATION OF W.		Fraction		ion Number	Township Number		ge Number	
County: SEDGWIC		SW¼	3 T 27 S R 1 □ E ■ W					
2 WELL OWNER: Last Name: BLANCHAT First: RON Street or Rural Address where well is located (if unknown, distance and								
Business: 2337 N SANDPLUM ST direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address:								
City: WICHITA	State: KS	ZIP: 67205						
3 LOCATE WELL	5 I atituda	5 Latitude:(decimal degrees)						
WITH "X" IN	4 DEPTH OF COM Depth(s) Groundwater	t						
SECTION BOX:	Deptn(s) Groundwater	Longitude:						
N						⊔ NAD	83 LI NAD 27	
	0/40/2017							
	below land surface	e, measured on (mo-day-y	GPS (unit make/model:)					
NW NE	Dumm test data: Well a	e, measured on (mo-day-y	(WAAS enabled? Yes No)					
					☐ Land Survey ☐ Topographic Map			
W	after1.9 hours pumping 50							
SW SE								
*	after hours pumping						Level TOC	
S	Bore Hole Diameter: 10.5 in. to 66 ft. and Source: Land Survey GPS To							
mile	Bore note Diameter	Boil Hole Diameter,						
Time II. U								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Dublic Water Supply: well ID								
1. Domestic:								
Household	6. Dewatering: how many wells?							
Lawn & Garden	7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical 8. ☐ Monitoring: well ID							
Livestock								
2. Irrigation		tal Remediation: well ID			d Loop Horizontal			
3. Feedlot	Air Sparg		traction		Loop Surface Disc			
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Cosing diameter 5 in to 66 ft Diameter in to ft Diameter in to ft								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .56								
GRAVEL PACK INTERVALS: From31 ft. to66 ft., From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
■ Watertight Sewer Lines								
☐ Other (Specify) Direction from well? SOUTHWEST Distance from well? 80+ ft.								
10 FROM TO	LITHOLO		FROM		THO. LOG (cont.) or P	LUGGIN	G INTERVALS	
0 1 7	TOP SOIL							
	CLAY							
	FINE SAND							
	MED GRAVEL							
62 66 0	CLAY							
	,		Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 9/18/2017 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 9/22/2017								
under the business name of WENINGER DRILLING LLC. Signature								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks	s.gov/waterwell/index.html	I	KSA 82a-12	12		Revised	7/10/2015	