	RECORD Form Correction Char			vision of Water		Vell ID	
1 LOCATION OF Y			Kes Fill So	ources App. No. ction Number	Township Number		
1 ~ . V //	A 160	Fraction W.NE.		9	т27 s	Range Number	
County: Street or Rural Address where well is located (if unknown, distance and Business: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Business: Address: 173							
Address: 1726 m Several (7721)							
City: State: Zir: U/							
WITH "X" IN		MPLETED WELL:		1	·		
SECTION BOX:	Depth(s) Groundwater		Longitude				
N	WELL'S STATIC WATER LEVEL:						
	☐ below land surface	e, measured on (mo-day-	-yr). 22/	GPS (unit make/model:)			
NW NE	-NWNE above land surface, measured on (mo-day) Pump test data: Well water was			1 .	1		
W E				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
W S E	Well	Well water was ft.			С імарреі		
1 1		after hours pumpinggpm Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC		
S	Bore Hole Diameter:gpm in. toft. and			Source: Land Survey GPS Topographic Map			
mile		in. to	ft.		Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID		10. Oil Fi	eld Water Supply: lease		
Lawn & Garden	6. Dewatering: how many wells?			11. Test Hole: well ID Geotechnical			
Livestock					12. Geothermal: how many bores?		
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop		
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extract 4. ☐ Industrial ☐ Recovery ☐ Injection				b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel TYPY Other CASING JOINTS: TY Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
Louvered Shutter							
GRAVEL PACK-INTERVALS: From ft. ft. from ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
Sepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well							
Direction from well? Distance from well?							
Direction from well?	LITHOLO		FROM	TO LIT	ft. HO. LOG (cont.) or PLU	IGGING INTERVALS	
c //		e 1	1 KOM	TO LAI	Ito. Loo (cont.) of The	OGGING INTERVALS	
11 99	Fino	In -sa					
39 56	Gerre	hun Ban	//				
			Notes:				
11003.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, a reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's License No. 4.2. This Water Well Record was completed on (mo-day-year) 5.2. Under the business name of Banks Signature Signature							
Mail 1 white copy alo	ng with a fee of \$5,00 for ea	ch constructed well to: Kan	sas Department	of Health and Envir	onment, Bureau of Water, o	GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							
visit us at http://www.kdheks	.gov/waterwell/index.html		KSA 82a-12	14	K	CV13CU //1U/2013	