		WATER WE	ELL RECOR	RD Fo	rm WV	VC-5 K	SA 82a-12	212		
1 LOCATION OF WATE	R WELL:	FRACTION			SEC	TION NUMBE	R TOWNSH	IIP NUMBER	RANGE N	NUMBER
Sedgwick		NW 1/4	SE 1/4	SW	1/4	18	T 2	27 s	R 1	W E/W
Distance and direction from	•	reet address of well	if located within city	?		,				
11418 W. Dela		Wichita, Kai	nsas							
2 WATER WELL C		TREE, Cecil						Board of Agric	culture, Division of	Water Resource
RR#,ST. ADDRESS		W. Delano					7212	-		Traici riessares
		ta, Kansas		100		P CODE: 6		Application Num	ber:	
3 LOCATE WELL'S LO	CATION 4 DE	EPTH OF COMPL	ETED WELL:	120	ft.		ELEVATION:			
N N	Depth	n of groundwater	Encountered:		ft.			ft.		ft.
	WEL	L'S STATIC WAT	TER LEVEL	35 F	FT. BELO	W LAND SU	JRFACE MEAS	URED ON mo/d	ay/yr: 6/2	6/18
NW -	- NE	Pum	np test data:	Well water	r was		ft. after	hours	of pumping @	gpm
w ⊠	1	Est. Yield:	gpm	Well wate	r was		ft. after	hours	of pumping @	gpm
	E Bor	e Hole Diameter	12 in.		to 1	. 20 ft.	. and	in.	to	ft.
- C14		L WATER TO BE						9. Dewaterir	ng 11. Inje	ection well
sw	'··-						and garden on			specify below)
		rrigation 4. I s a chemical/bacteri				8. Air cor	NO	10. Monitorin : If ves. v	yhat mo/day/yr	was sample
S	1	nitted	ological sample sub	milited to De	partmentr	YES Was V	Vater Well Disi			NO
5 TYPE OF CAS	ING USED:	F 18/22 14.1	7 [1]	hauslass	9 01	ther (Specify	(below) CA	SING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR)	5. Wrought I	ron 7. Fil	berglass		, , ,	below) On	01110	Welded	Clamped
2. PVC	> 4. ABS	Asbestos-	-Cement 8. Co	oncrete tile	ומפ	R-26				
Blank casing diamete	er 5 in	. to $oldsymbol{1}$	00 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height above	land surface:	12 in.,	Wei	ight: 2	.35 It	os. / ft.	Wall t	hickness or gaug	e No214	[
TYPE OF SCREEN C	OR PERFORATION N	·						eeee er geeg	.214	
1. Steel 3	. Stainless Steel	5. Fiberglass	7. PV	\bigcirc	9. A	BS	11. C	ther (specify)		
2. Brass 4	. Galvanized	6. Concrete Til	le 8. RM	1P (SR)	10. A	sbestos-Cer	ment 12. N	lone used (open l	hole)	
SCREEN OR PERFO	RATION OPENINGS	ARE.								
1. Continuous slot		_	auzed wrapped		7 To	rch cut	9 Dri	lled holes	11. None (open hole)
2. Louvered shutte	r 4 Kanana								,	
		cnea o. w	/ire wrapped		_	w cut	10. Oti	ner (specify)		
SCREEN - PERFORA	TION INTERVAL	From	100 ft.	to	120	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PAG	CK INTERVALS:	From	24 ft.	to	120	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIA	ALS: 1. Neat ce	ment	2. Cement Gro	4	-	•		· · · · · · · · · · · · · · · · · · ·	onite hole pl	
Grout Intervals:	From 4	ft. to	2. Cement Gro	From		Bentonite		D CITE	-	Ū
What is the nearest so		amination:	,		ft.	to	ft.,	From	ft. to	
1. Septic tank	4. Lateral li	nes 7.	Pit privy	10.	Livestoc	k pens	13. Insec	ticide storage	15. Oil well/	Gas well
2. Sewer lines	5. Cess Poo	ol 8.	Sewage lagoon	11.	Fuel stor	rage	14. Aband	don water well	16. Other (s	pecify below)
₩atertight sewer	r line 6. Seepage	pit 9.	Feed yard	12.	Fertilizer	storage				
Direction from well?	East						How m	any feet? 20 f	t. plus	
From To	LI	THOLOGIC	LOG		From	То		LITHOLO	GIC LOG	
I I i	topsoil									
	clay									
	fine sand									
	clay medium sand									
102 120	medium sanu			-						

								· · · · · · · · · · · · · · · · · · ·		
								······································		
7										
7 Contractor's or L	andowner's Certificat		vell was 1. con:	structed) 2. red	constructed	l or 3.	plugged L	ınder my jurisdic	tion and
was completed on ((mo/day/year)	6/26/18	and this	s record is	true to the	best of my	knowledge and	belief.		
Kansas Water Well	Contractor's License	No. 236	This	water well	record was	s completed	on (mo/day/ye	ar) 6/ 2 8	8/18	
under the business name of Harp Well and Pump Service by (signature)										
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp										