WATER WELL R		WWC-5		sion of Water			
Original Record		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF WATER WELL: Fraction SW1/4 SW1/4 SE		SW1/4 SW 1/4 SE 1/4		on Number Township Number Range Number 21 T 27 S R 1 □ E ■ W			
2 WELL OWNER: Last Name: SHORT First: KIRK Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owner's address, check here:							
Address: City: WICHITA State: KS ZIP: 67212							
2 LOCATE WELL							
WITH "X" IN		MPLETED WELL:		5 Latitude:(decimal degrees)			
SECTION BOX:	Depth(s) Groundwater		Longitu	Longitude:(decimal degrees)			
N	2) ft. WELL'S STATIC WA			Horizontal Datum: WGS 84 NAD 83 NAD 27			
	below land surface			Source for Latitude/Longitude: GPS (unit make/model:)			
NW NE	above land surface			(WAAS enabled? ☐ Yes ☐ No)			
N I	Pump test data: Well		☐ Lan	☐ Land Survey ☐ Topographic Map			
W	after hou		Onl	Online Mapper:			
SW SE	Well water was ft. after 2 hours pumping						
	Estimated Yield: 3!				. Ground Level TOC		
S	Bore Hole Diameter: .	ft. and		Source: Land Survey GPS Topographic Map			
1 mile							
7 WELL WATER TO BE USED AS:							
1. Domestic:	= —						
Lawn & Garden							
Livestock	8. Monitoring: well ID						
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot	Air Spar		Extraction			ischarge 🔲 Inj. of Water	
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: Steel PVC Other							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 6 in. to 60 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 15 in. Weight lbs/ft. Wall thickness or gauge No. SDR-26							
TYPE CF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot							
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .40 ft. to 60 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
Nearest source of possib Septic Tank	le contamination: Lateral Lin	nes 🔲 Pit Privy		Livestock Pens	□ Incecti	cide Storage	
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
■ Watertight Sewer Lines							
Other (Specify) Direction from well? NORTH Distance from well? 60. ft.							
10 FROM TO 0	TOP SOIL	GIC LUG	FROM	TO L	I I II O. LUU (CORL) 0	r PLUGGING INTERVALS	
	CLAY		 				
	MED GRAVEL		+				
	Notes:						
11 CONTRACTORS OF LANDOWNER'S CERTIFICATION. This units wall are accounted to the contract of							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, reconstructed, reconstructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .7/27/2018 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Co	ntractor's License No.	884 This Wa	iter Well Rec	ord was com	leted on (mo-days)	ear) 8/7/2018	
Kansas Water Well Contractor's License No. 884							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							