	WATER WELL RI	ECORD F	orm WW	C-5 K	SA 82a-1212				
1 LOCATION OF WATER WELL:	FRACTION	_		SECTION NUMBER		TOWNSHIP NUMBER		RANGE NUMBER  R 1W E/W	
Sedgwick Sedgwick	NE 1/4 NE	1/4 SW	1/4	2	T 27	S	R 1\	W E/W	
Distance and direction from nearest town or city									
3/8 N. of 21st, 1/2 West of V	CHITA, CITY OF	Wichita, K	ansas			<u> </u>			
[ ]						Board of Agriculture, Division of Water Resource			
	hita, Kansas		ZIF	CODE:		Application Num	ber: 201	80183	
	DEPTH OF COMPLETED V	WELL: 40	ft.		ELEVATION:				
WITH AN "X" IN SECTION BOX:	epth of groundwater Encount		ft.			ft.		ft.	
	ELL'S STATIC WATER LEV		FT. BELOV	W LAND SU	JRFACE MEASUR	ED ON mo/d	ay/yr: 10/1	9/18	
NWNE	Pump test da	ata: Well wate	er was		ft. after	hours	of pumping @	gpm	
<u>o</u>	Est. Yield: gpm			_	ft, after	hours	of pumping @	gpm	
1— 1 XI I	Bore Hole Diameter 1		to <b>4</b>	O ft.	and	in.	to	ft.	
	ELL WATER <b>10 €</b> USED.  1. Domestic 3. Feedlot		er supply	7. Lawn a	and garden only	9. Dewaterin	9	ection well Specify below)	
	2. Irrigation 4. Industria				-	10. Monitorin	•	pecity below,	
	Was a chemical/bacteriological sa			YES	NO		what mo/day/yr		
	ubmitted			Was \	Water Well Disinfe	cted?	YES	NO	
TYPE OF CASING USED:  1. Steel 3. RPM (SI	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	below) CASIN	IG JOINTS:	Glued	Threaded	
2. PVC 4. ABS	6. Asbestos-Cement	t 8. Concrete til	е				Welded	Clamped	
Blank casing diameter 8	in. to <b>ft</b>	t., Dia.	in.	to	ft., D	ia. i	n. to	ft.	
Casing height and surface:	36 in.,	Weight:	Ih	s. / ft.	Wall thic	kness or gaug	ie No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA									
2. Brass 4. Galvanized	<ol><li>Concrete Tile</li></ol>	8. RMP (SR)	10. As	sbestos-Ce	ment 12. Non	e used (open l	hole)		
SCREEN OR PERFORATION OPENIN	IGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drille						d holes	11. None (	open hole)	
2. Louvered shutter 4. Key p	ounched 6. Wire wra	pped	8. <b>Sa</b> v	w cut	10. Other	(specify) N	A		
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.	
	From	ft. to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.	
	From	ft. to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat	cement 2. Cer	ment Grout	3	Bentonite		other bent	onite hole p	lug	
Grout Intervals: From 3		ft., From	ft.	to	ft.,	From	ft. to		
What is the nearest source of possible of	7 Di4	ny 1:	0. Livestoc	k pens	13 Insectio	ide storage	15. Oil well/	Gas well	
1. Septic tank 4. Lateral lines				48. Other Januaity hale					
2. Sewer lines 5. Cess Pool 5. Cess Pool 5. Cess Pool 6. Sever lines 5. Cess Pool 6. Sever lines									
3. Watertight sewer line    6. Seepa     Direction from well?	age pit 9. Feed ya	aru i	Z. Fertinzer	Storage	How man	v feet?			
From To	LITHOLOGIC LOG	1	From	То			GIC LOG		
				3	compacted to	mpacted topsoil			
			3	23	bentonite ho				
			23	40	chlorinated g	ravel			
						<del></del>			
							***		
					<u></u>			Nr	
				L	1 0 0	ugged	under my juriedi	ction and	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 10-19-18 and this record is true to the best of my knowledge and belief.									
was completed on (mo/day/year)	10-19-18								
Kansas Water Well Contractor's Licer	nse No. 236	This water we	ell record wa	s complete	d on (mo/day/year		21/18		
under the business name of Harp Well and Pump Service by (signature)  Todd S. Horp									