	WELL R		m WWC-5		sion of Water				
	l Record		nange in Well Use		irces App. No.		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK			Fraction SE ¼ NE ¼ SW ¼	SE ¼	tion Number Township Number Range Number 21 T 27 S R 1 □ E ■ W			□E ■ W	
2 WELL	OWNER: L	ast Name: WISLEY	First: DEREK	Street or Rural Address where well is located (if unknown, distance and				stance and	
Business: Address: 138 SOUTH ASHLEY PARK									
Address: City: WICHITA State: KS ZIP: 67209									
3 LOCAT		4 DEPTH OF C	COMPLETED WELL: .	57 ft	5 Latitud	۵۰		cimal degrees)	
Donth(a) Groundwater			ater Encountered: 1)		5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	ON BOX:		. 3) ft., or 4) [Horizont	Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
		WELL'S STATIC	WATER LEVEL:	0 ft.	Source for	Source for Latitude/Longitude:			
			below land surface, measured on (mo-day-yr).10/16/2018			(unit make/model:			
NW NE			above land surface, measured on (mo-day-yr)			(WAAS enabled? Yes No)			
			Pump test data: Well water was ft. after hours pumping gpm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
W	'		ell water was						
SWSE		afterl	nours pumping	6 7 6 11 1 7 700					
		Estimated Yield:9gpm Bore Hole Diameter:11.5in. to57ft. and			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
	S Bore Hole Diameter:		er:1.1.5 in. to9./						
The transfer of the transfer o									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID									
☐ House			tering: how many wells?			le: well ID			
			er Recharge: well ID		☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livest	ock		toring: well ID		12. Geothermal: how many bores?				
	2. Irrigation 9. Environmental Re			Da) Closed Loop Horizontal Vertical					
3. ☐ Feedlot ☐ Air Sparge				Extraction					
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
Water well disinfected? ■ Yes □ No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing diameter 5 in to 57 ft. Diameter in to ft. Diameter in to ft. Diameter in to SDR-23 ft. Weight weight above land surface 16 in Weight 18. Ibs./ft. Wall thickness or gauge No. SDR-23									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
Louvered Shutter									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft.									
		le contamination:							
Septic		☐ Lateral			Livestock Pens			11	
Sewer		Cess Po		igoon [Fuel Storage		ned Water Wo	ell	
☐ Other (Specify) Direction from well? NORTH Distance from well? .30 ft.									
10 FROM	TO	LITHO	LOGIC LOG	FROM	TO L	ITHO, LOG (cont.) or	PLUGGING	INTERVALS	
0		TOP SOIL							
1		CLAY							
24	57	MED GRAVEL							

				Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed. Treconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .1.0/1.6/20.18 and this record is true to the best of my knowledge and belief. This Water Wall Record was completed on (mo-day-year) 11/18/2018									
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .1.1/18/2018 under the business name of WENINGER DRILLING LLC									
Mail 1 white copy along with a fee of \$5 00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
100	0 SW Jackson	St., Suite 420, Topeka, K	ansas 66612-1367. Mail one to	Water Well Own	ner and retain one		one 785 -2 96-55	524.	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-12					12 Revised 7/10/2015				