KOLAR Document ID: 1473494

	WELL R			WWC-5			on of Wate					
		Correction		e in Well Use	1		ces App. N			Well ID		
1 LOCATION OF WATER WELL: Fraction						Section	Section Number Township Number Range Number					
County: 1/4 1/4 1/4							$T \qquad S \qquad R \qquad \Box E \ \Box W$					
	OWNER: L	ast Name:		First:		treet or Rural Address where well is located (if unknown, distance and						
Business:			direction fr	n from nearest town or intersection): If at owner's address, check here:								
Address: Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL					C.		-				
WITH "X" IN 4 DEPTH OF COMPLETED WELL:												
SECTIO	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box					(
1	N		ER LEVEL: ft.				Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
	X	below land surface, measured on (mo-day-yr))	
NW	NE	\square above land surface, measured on (mo-day-yr).										
			Pump test data: Well water was ft.				□ Land Survey □ Topographic Map					
w	Е	after	after hours pumping gpn				Online Mapper:					
SW	SE		Well water was ft.									
3 W		after hours pumping gpm				6 Elevation:ft. Ground Level TO			d Level 🗖 TOC			
			Estimated Yield:gpm									
S Bore Hole I			ole Diameter: in. to ft. in. to ft.									
		BE USED		······	II.							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
	□ Household											
			7. ☐ Aquifer Recharge: well ID						Uncased Geotechnical			
				g: well ID					al: how many bores			
	2. ☐ Irrigation 9. Environmental Remediation: well ID.											
3. 🗌 Feedlo	Extraction	n b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water										
4. 🗌 Industr	rial		Recovery	Injection			13. 🗌 Ot	her (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
		☐ Mill Slot							Other (Specify)	•••••		
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft. of the first state of t												
				Cement grout B								
				ft., From								
	rce of possibl		on: No	potential source of co	ntamination	within	n 200 ft.					
Septic			Lateral Line			🗌 Li	vestock Pe		Insection	ide Storage	2	
Sewer 2			Cess Pool	🗌 Sewage L			el Storage		🗌 Abando	oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
Direction fro	TO TO		ITHOLOG		FROM				ft. HO. LOG (cont.) or		IC INTEDVALS	
IU FKOM	10	1	JINOLUG	91C LUG	FKUN	1	10		110. LOG (cont.) of	LUGGIN	U INTERVALS	
	├											
	├											
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged												
under my j	urisdiction ar	nd was compl	leted on (n	no-day-year)	a	nd thi	is record i	s tru	e to the best of m	y knowled	lge and belief.	
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of												
under the b	usiness name	OI		FLL OWNED and mat-	one for vor	racerd	E Eco of ¢ f		or each constructed	 11		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-	ttp://www.kdhe			,, ,		~ **		r.	,		SA 82a-1212	