KOLAR Document ID: 1512093

				vision of Water		W II ID		
<u> </u>		ge in Well Use		sources App. N		Well ID	NT 1	
1 LOCATION OF W	ATER WELL:	Fraction		ection Number	1		nge Number	
County:	1/4 1/4 1/4	1/4	1 4 1 1	T S	R	□ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
City:	State:	ZIP:						
3 LOCATE WELL		<u>'</u>		_				
WITH "X" IN	4 DEPTH OF COMPLETED WELL:				,			
SECTION BOX:	Depth(s) Groundwater Encountered: 1) ft.			Longitude:(decimal degrees)				
N	2) ft. 3) ft., or 4) ☐ Dry We WELL'S STATIC WATER LEVEL: ft.			Datum: WGS 84 NAD 83 NAD 27				
			Source for Latitude/Longitude:					
	below land surface, measured on (mo-day-yr)			- (,				
NW NE	above land surface, measured on (mo-day-yr)				(11 11 11 11 11 11 11 11 11 11 11 11 11			
	Pump test data: Well water was ft. after hours pumping gpm			☐ Land Survey ☐ Topographic Map				
W E		vater was f		□ Or	☐ Online Mapper:			
SW SE	after hours pumpinggpm							
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter: in. to ft. and			Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
mile		in. to			☐ Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID		10. □ Oil	Field Water Supply: 1	ease		
☐ Household		ig: how many wells?			11. Test Hole: well ID			
☐ Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock		g: well ID		12. Geothermal: how many bores?				
2. ☐ Irrigation		al Remediation: well ID		a) Closed Loop				
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Recovery	☐ Injection		13. 🔲 Otł	ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Continuous Stot □ Min Stot □ Gauze Wrapped □ Totch Cut □ Diffied Holes □ Other (Specify)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Septic Tank	Lateral Line				na □ Imaaati	aida Ctamana		
				Livestock Per		cide Storage		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FROM		LITHO. LOG (cont.) o		GINTERVALS	
13 11(01)1 10	Lillond	<u> </u>	11(01)1	10		LLOGOIN	O II TER TALO	
				+				
				+				
			1					
		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment Burgau of Water Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								
v ion uo at <u>imp.//www.Kullt</u>	Mo.gov/ watci wcii/iliucx.iitilii					177	J11 U2U-1212	