		RECORD		WWC-5		Division of						
				e in Well Use		esources A			Well ID			
	CATION OF ounty: SEDG	WATER WELL WICK	L:	Fraction SW ¼ NW ¼ SW !		Section N 5	umber	Township Numb		nge Number		
		R: Last Name: MIT	CHELL	First: PAM			lress who		(if unknown	distance and		
Busi Addi	2 WELL OWNER: Last Name: MITCHELL First: PAM Business: Address: 9463 West Wyneroft St. Address: 9463 West Wyneroft St.											
Addi City:	arrows the same		State: KS	ZIP: 67205								
-	3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 60											
and the second	Denth(c) Groundwater Encountered: 1) 22 ft							5 Latitude:				
SEC	SECTION BOX: 2)						Longitude:					
	WELL'S STATIC WATER LEVEL: 21 ft.						Source for	Latitude/Longitude	· LINAD	B5 LI NAD 21		
	below land surface, measured on (mo-day-yr). 7/9/2019.						GPS (unit make/model:)					
N	-NWNE above land surface, measured on (mo-day-yr)						(WAAS enabled? Yes No)					
l w	W E after hours pumping						■ Land Survey ☐ Topographic Map ☐ Online Mapper:					
	Well water was ft.											
134	arou nours pumping							· 0	Cround	Level Fl TOC		
	Estimated Yield:20gpm Bore Hole Diameter:11.5in. to60ft.						6 Elevation:					
	1 mile in to									pograpine map		
7 WELL WATER TO BE USED AS:												
1. Dome				ter Supply: well ID		. 10. [Oil Fie	eld Water Supply: le	ase	****************		
	Household 6. Dewatering: how many wells?						11. Test Hole: well ID					
	■ Lawn & Garden 7. □ Aquifer Recharge: well ID □ Livestock 8. □ Monitoring: well ID						☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical					
3. 🔲 Fee	3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction						b) Open Loop Surface Discharge Ini. of Water					
4. 🔲 Ind			Recovery	☐ Injection				specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:												
Water well disinfected? ■ Yes □ No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter 5 in to 60 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 19 in Weight 1bs./ft. Wall thickness or gauge No. SDR-26												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
SCREEN	N-PERFORA	TED INTERVAL	S: From	40 ft. to 60	ft., From		ft. to	ft., From	ft. to	ft		
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 23 ft. to 60 ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Nearest source of possible contamination: Septic Tank Lines Pit Privy Livestock Pens Insecticide Storage												
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well												
■ Watertight Sewer Lines												
Othe	er (Specify)	<i>I</i> EST		Distance from we								
10 FROM	rom well?v.	rm	HOLOGI	Distance from we	FROM	ТО	Trr	HO. LOG (cont.) or F	THECDIC	TAITEDNALC		
0	2	TOP SOIL	HOLOGI	CLOU	I KOIVI	10	1211	LOG (COIII.) OF F	POQUING	INTERVALS		
2	22	CLAY				1	1					
22	29	FINE/MED SAI	ND									
29	30	CLAY										
30	59	MED SAND / G	BRAVEL									
59	60	CLAY										
					Notes:							
	-				-							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) .7/9/2019 and this record is true to the best of my knowledge and helief												
Kansas Water Well Contractor's License No. 884. This Water Well Record was completed on (mo-day-year) 8/20/2019 under the business name of WENINGER DRILLING, LLC. Signature												
under the	business nan	TO DI VALUKUAKA	ニなっいないし	UNG, LLC constructed well to: Kans	Si	ignature	11,000	Mr Krychaw	WC.			
10	00 SW Jackson S	St., Suite 420. Toneka	. Kansas 66	612-1367. Mail one to V	ച Departmen /ater Well റയ	ner and reta	in one for	vour records Telephon	r, GW IS Sec e 785_206 55	tion, 24		
		s.gov/waterwell/inde			KSA 82a-12			,	Revised 7/			