				VWC-5 e in Well Use		vision of Wate ources App. N		Well ID IAS-10		
1 LOCATION OF WATER WELL:				Fraction		ction Numbe				
	_{y:} Sedgwic			SE 1/4 NW 1/4 NE 1/						
						Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:				
Address: 1000 SW Jackson St., Ste. 410						Westlink Shopping Center, behind businesses at 8829-8999 W.				
Address: City: Topeka State: KS				ZIP: 66612	Central Ave Wichita, KS					
3 LOCAT								8		
WITH "				PLETED WELL: Encountered: 1)						
	DN BOX: N	2)	ft. 3) ft., or 4)	🗌 Dry Well	ry Well Datum: \Box WGS 84 \Box NAD 83 \Box NAD 27				
		WELL'S STAT	WELL'S STATIC WATER LEVEL:18.70f below land surface, measured on (mo-day-yr).08.1 above land surface, measured on (mo-day-yr)				9 Source for Latitude/Longitude:			
NW		above land								
		~	Pump test data: Well water was ft.				☑ Land Survey □ Topographic Map			
W	Well			pumpingater was						
			hours	pumping			4: 1330 45 o			
	s	Estimated Yiel	Estimated Yield:			6 Elevation:				
	s nile	Bore Hole Dial	in. to							
7 WELL WATER TO BE USED AS:										
	1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?									
	$\Box Lawn \& Garden $ 0. $\Box Dewatering. not Dewatering. not 7. \Box Aquifer Recharg$						sed Uncased			
	Livestock 8. Monitoring: well ID					12. Geothermal: how many bores?				
2. □ Irrigation 9. Environmental Remediation 3. □ Feedlot ☑ Air Sparge □ Soi					a) Closed Loop 🗌 Horizontal 🗋 Vertical Extraction b) Open Loop 🗋 Surface Discharge 🗋 Inj. of Water					
4. 🗌 Industr			ecovery							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? □ Yes ☑ No 8 TYPE OF CASING USED: □ Steel ☑ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded ☑ Threaded										
Casing diameter 2 in. to										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Image: Steel Image: Steel Image: Steel <t< td=""></t<>										
□ Brass □ Galvanized Steel □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .33 ft. to 35 ft., From ft. to ft. to										
GRAVEL PACK INTERVALS: From24 ft. to35 ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From ft. to										
Nearest source of possible contamination: No potential source of contamination within 200 ft.										
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well										
☑ Other (Specify) .Fmr.Dry. Cleaner										
Direction fro	om well? . ⊑e TO			Distance from v GIC LOG	FROM			r PLUGGING INTERVALS		
0	5	Lithology not log		IC LOG	TRON	10		TLOODING INTERVALS		
5		Lean Clay, silty	/, brn							
11	28		and, f to m to c, rd brn ean Clay, v silty, tan							
28	35	Lean Clay, v si	ity, tan							
			Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗌 plugged										
under my jurisdiction and was completed on (mo-day-year) .07/15/2019 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 531										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

