			WATER V	VELL REC	CORD F	orm WV	VC-5 K	(SA 82a-12	12			
1 LOCATION C		R WELL:	FRACTION			SEC	TION NUMBE		P NUMBER	RANGE I	NUMBER	
Sedgwid			SW 1/4	-	1/4 <b>SE</b>	1/4	2	T 2	7 s	R 1	W E/W	
Distance and direction from nearest town or city street address of well if located within city?												
		ise Circle		ichita, Ka	nsas			,				
2 WATER			S CONSTRU						Board of Agric	culture, Division of	Water Resource	
RR#,ST. AD			3 E. 21st N.	#303					•			
	CITY, S		nita, Kansas			_	IP CODE:		Application Num	ber:		
3 LOCATE W			DEPTH OF COM	IPLETED WE	LL: 30	6 ft.		ELEVATION:				
	N	Der	pth of groundwat	er Encountere		ft			ft.		ft.	
	-	WE	ELL'S STATIC W	ATER LEVEL	. 12	FT. BELC	W LAND S	URFACE MEAS	URED ON mo/da	ay/yr: <b>4/1</b>	0/20	
'   NW	·	-NE	P	ump test data	: Well was	er was		ft. after	hours	of pumping @	gpn	
w <b>W</b>	ł		Est. Yield:	gpm	Well wa			ft. after	hours	of pumping @	gpm	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		:	ore Hole Diamet	-	in.	to 3	36 ft	. and	in.	to	ft.	
Sv	v . X		ELL WATER TO . Domestic	BE USED AS 3. <b>Feedlot</b>		ter sunnly	C7. Lawn	and garden on	9. Dewaterin	'9	ection well	
				4. Industrial	6. Oil field w				10. Monitorin		Specify below	
	L		Vas a chemical/bac			-	YES	(NO)		/hat_mo/day/yr	was sample	
			bmitted					Water Well Disir	fected?	YES	NO	
-		NG USED:	5. Wroug	ht Iron	7. Fiberglass	9. O	ther (Specif	y below) CA	SING JOINTS: 🤇	Glued	Threaded	
1. St		3. RPM (SF	₹)		•	. SD	R-26			Welded	Clamped	
2. P		4. ABS		os-Cement	8. Concrete ti	le 52	. 20					
Blank casing	diamete	r 5	in. to	28 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.	
Casing heigh	nt above	land surface:	12 in.,		Weight:	2.35 I	bs. / ft.	Wall t	nickness or gaug	e No214	4	
1		R PERFORATION										
1. Steel		Stainless Steel	<ol><li>Fiberglas</li></ol>	_	7. PVC	9. A	ABS	11. O	ther (specify)			
2. Brass	4.	Galvanized	6. Concrete	Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12. N	one used (open l	nole)		
SCREEN OR PERFORATION OPENINGS ARE:												
1. Continuo	ous slot	3. Mill slo	ot 5	. Gauzed wra	pped	7. <b>T</b> o	rch cut	9. <b>Dri</b>	9. Drilled holes 11. None ( open hole)			
2. Louvered	d shutter	r 4. Key pu	unched 6	. Wire wrappe	ed	8. <b>Sa</b>	w cut	10. Oth	er (specify)			
SCREEN - PE	RFORA	TION INTERVAL	From	<b>28</b> ft	:. to	36	ft.,	Erom.				
	0, 0 .		From	<b>2</b> 0 ff				From	ft.	to	ft.	
GPA	VEL DAZ	CK INTERVALS:		<b>24</b> ft			ft.,	From	ft.	to	ft.	
	VLLFAC	DR INTERVALS.	From				ft.,	From	ft.	to	ft.	
T			From	ft	. to	·	ft.,	From	ft.	to	ft.	
6 GROUTI	MATERIA	ALS: 1. Neat o	cement	2. Cemei	nt Grout	;	3. Bentonite	•	Other bento	onite hole pl	lug	
Grout Inte		From	ft. to	ft.	, From	ft.	to	ft.,	From 4	ft. to	24 ft.	
What is the nearest source of possible contamination:  1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/0									Gas well			
				8. Sewage la					40. Other (energia halana)			
2. Sewer lin		5. Cess P			_		_	14. Abano	Ion water well	(2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
3. Watertigit		line 6. Seepag Nortl	0 - r	9. Feed yard		2. Fertilize	r storage	س بیمان	any feet? 10 f	t nluc		
From	To		LITHOLOG	ICTOG	· · · · · ·	From	То	l low in	LITHOLO			
0	3	topsoil	<u> </u>	<u>10 L00</u>		1 10111	'0		LITHOLO	GIC LOG		
3	23	fine sand										
23		medium sand										
ļ			<u> </u>									
<b></b>						<u> </u>	ļ					
			<del></del>			ļ	ļ					
							<del> </del>	ļ				
				·								
						<del>                                     </del>	<del>                                     </del>		<del></del>			
						ļ						
				<u>-</u>		L	1.	<u></u>				
7 Contract	tor's or L	andowner's Certific	cation: This wate	er well was 1.0	constructed	) 2. re	constructe	d or 3.	<b>plugged</b> u	ınder my jurisdic	ction and	
was comple	eted on (	mo/day/year)	4/10/2020	) aı	nd this record	is true to the	e best of my	knowledge and	belief.			
Kansas Water Well Contractor's License No. 236  This water well record was completed on (mo/day/year)  5/1/2020												
under the b	usiness l	iaille of Harp	weii and Pu	mp Servic	e	by (si	gnature)	T	<u>odd S.</u>	<u>.tart</u>	)	
						_						