KOLAR Document ID: 1533942

V	_	WELL R	_		WWC-5		Division of Water						
<u>_</u> _	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction						esources App Section Nur	Township Numb	Well ID	ange Number			
1	County: 14 14					1/4	1				□ E □ W		
2							Rural Addre	T S R E W ural Address where well is located (if unknown, distance and					
	Business:	Business: d						lirection from nearest town or intersection): If at owner's address, check here:					
	Address: Address:												
	City: State: ZIP:												
3	LOCATE WELL						6						
	WITH "X" IN Depth(s) Groundwater Encountered: 1)										_		
	SECTIO			3) ft., or 4) [
	WELL'S STATIC WATER LEVEL:								r Latitude/Longitude		NAD 21		
							GPS (unit make/model:)		
	NW	NE							(WAAS enabled? □	Yes 🗌	No)		
				Pump test data: Well water wasft. afterhours pumpinggg				☐ Land Survey ☐ Topographic Map					
W	ı	Well water was ft.					Online Mapper:						
	after hours pumping g Estimated Yield:gpm S Bore Hole Diameter: in. to												
									tion:ft. Ground Level TOC				
							□ O41						
	mile in. to												
	7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID												
	☐ Household 6. ☐ Dewatering: how many wells?							11. Test Hole: well ID					
	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well						[☐ Cased ☐ Uncased ☐ Geotechnical					
	☐ Livestock 8. ☐ Monitoring: well ID							12. Geothermal: how many bores?					
	☐ Irrigati ☐ Feedlo				al Remediation: well II e								
3. ☐ Feedlot ☐ Air Sparge 4. ☐ Industrial ☐ Recovery						Extraction	13. ☐ Other (specify):						
	Was a chemical/bacteriological sample submitted to KDHE? \[\subseteq \text{Yes} \] No If yes, date sample was submitted:												
Water well disinfected? \square Yes \square No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter ft., Diameter ft.													
Casing height above land surface													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)													
	☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
			le contaminati		potential source of cor	itamination	within 200 ft		11. 10	11.			
	☐ Septic '	-		Lateral Line			Livestock		☐ Insection	cide Storag	ge		
	Sewer 1		_	Cess Pool	☐ Sewage La		Fuel Stor		Abando				
		ight Sewer Li		Seepage Pit	☐ Feedyard		☐ Fertilizer	Storag	e 🗌 Oil We	II/Gas We	iI		
					Distance from w				ft.				
	FROM	TO		ITHOLOG		FROM			THO. LOG (cont.) or		NG INTERVALS		
								+					
								+					
						Notes:							
						11000							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
					This Wa								
			Send one copy to	WATER W	ELL OWNER and retain	one for your	records. Fee o	f \$5.00	for each constructed we	ell.			
	_				Water, Geology Section, 10	000 SW Jack	on St., Suite 4	20, Top	oeka, Kansas 66612-136				
	v isit us at h	ttp://www.kdhe	eks.gov/waterwel	<u> //index.html</u>						K	KSA 82a-1212		