		WATER V	VELL RECO	ORD F	orm WW	/C-5 K	SA 82a-12	12		
111	ATION OF WATER WELL: FRACTION					TION NUMBE		IP NUMBER RANGE NUMBER		
Sedgwick		SW 1/4		 	1/4	30	T :	2 7 s	R 1\	W E/W
Distance and direction from 11803 W. Jev		ity street address of w Wichita, K		city?						
2 WATER WELL	·	UYEN, Pauc	a115a5				,	****		
RR#,ST. ADDRESS	SS.BOX #: 111803 W. Jewell Board of Agriculture, Division of Water Resource									
CITY	STATE: Wie	chita, Kansas			ZI	P CODE: 6	7235	Application Num	nber:	
3 LOCATE WELL'S LO	OCATION 4	DEPTH OF COM	IPLETED WELL	.: 11	6 ft.		ELEVATION:			
WITH AN "X" IN SE	CTION BOX:	 Depth of groundwat	ter Encountered:		ft.			ft.		ft.
	1	WELL'S STATIC W	VATER LEVEL	35	FT. BELO	W LAND SU	JRFACE MEAS	SURED ON mo/d	ay/yr: 8/1	7/20
NW	NE -		ump test data:	Well wat			ft. after		of pumping @	gpm
₩ X		Est. Yield:	gpm er 12	Well wa		l 16 ft	ft. after		of pumping @	gpm ft.
-	<u> </u>	Bore Hole Diamet WELL WATER TO		in.	to J	i i i	. and	in.	to na 11. Inie	ection well
sw -	WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify									
		2. Irrigation	4. Industrial (6. Oil field w	ater supply	8. Air co	nditioning	10. Monitorin	•	
S		Was a chemical/bac submitted	teriological sample	submitted to D	Department?	YES Was I	NO Water Well Disi		what mo/day/yr	was sample NO
5 TYPE OF CA			·		9.0	ther (Specifi		SING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR) 5. Wroug		7. Fiberglass	SD.	R-26	y below,	.0.110 00.1110.	Welded	Clamped
2. PVC	> 4. ABS	6. Asbest		3. Concrete ti	le SD	K-20				
Blank casing diamet	er 5	in. to	96 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above	e land surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall	hickness or gaug	je No214	ļ
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERF			. THC 0.	(011)	10. 7	3003103-00	1110111 12.1	tone adda (opon	,	
1. Continuous slo			. Gauzed wrap;	ned	7 T o	rch cut	9. Dr	illed holes	11. None (open hole)
2. Louvered shutt			. Wire wrapped			w cut		her (specify)	•	,
	•	•								
SCREEN - PERFOR	ATION INTERVAL		96 ft.	to	116	ft.,	From	ft.	to	ft.
CDAVEL DA	OK INTERVALO	From -	ft. 24 ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PA	ACK INTERVALS:			to		ft.,	From	ft.	to	ft.
O CROUT MATER	MALC:	From	ft.	to		ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From ft. to ft., From 4 ft. to 24										<u>~</u> 4
What is the nearest source of possible contamination:						ft. to		From 4		
1. Septic tank 4. Lateral lines 7. Pit privy 10						0. Livestock pens		13. Insecticide storage 15. Oil well/Gas well		
2. Sewer lines	5. Cess	3 Pool	8. Sewage lago	oon 1	11. Fuel sto	rage	14. Aban	don water well	16. Otner (s	pecify below)
3 Watertight sew	er line 6. Seep South	page pit	9. Feed yard	1	2. Fertilize	r storage		20.4	%l	
Direction from well? From To	South	LITHOLOG	IC LOG		From	То	Hown	nany feet? 20 f	GIC LOG	
0 3	topsoil	LITTIOLOG	IO LOO		1 10111	10		LITTIOLO	OIC LOC	
3 29	clay									
29 42	fine sand									
42 89 89 96	clay fine sand					 				
96 116	medium san	ıd	· · · · · · · · · · · · · · · · · · ·					,		
	<u> </u>									
 	1									
	1				<u> </u>					
	 		<u>.</u>			-		 		
7 Contractor's or	l andowner's C-	tification: This	or woll was 4	annet market	<u> </u>	conctm:=t=	d or o	nlugged	under my juriedia	tion and
		tification: This wate $8/17/2020$	^	constructed		constructed	_		under my jurisdic	uon anu
was completed on	,					•	knowledge and		0.00	
Kansas Water Wel							d on (mo/day/ye		0/20	
under the business	s name of Har	p Well and Pu	ımp Service		by (si	gnature)	T	odd S	Harr)