		WATER W	ELL RECO	RD Fo	orm WW	/C-5 K	SA 82a-12	12			
1 LOCATION OF WATE	R WELL:	FRACTION				TION NUMBER	TOWNS	HIP NUMBER	RANGE NUMBER		
Sedgwick		NE 1/4		SW	1/4	9	T	27 s	R	1W	E/W
Distance and direction fro 8414 W. 16th		•		ty?							
2 WATER WELL C		Wichita, Ka YKES, Heather	ansas					- ' <u>, i ''</u>	,		
RR#,ST. ADDRESS		414 W. 16th N.	•					Board of Ag	riculture, Divisio	of Wate	r Resource
		Vichita, Kansas			ZII	P CODE: 6	7212	Application Nu	mber:		
3 LOCATE WELL'S LO	CATION	4 DEPTH OF COM	PLETED WELL:	65	ft.		ELEVATION:				
WITH AN "X" IN SEC	TION BOX:	Depth of groundwate			ft.			ft.			ft.
		WELL'S STATIC W		21	FT. BELO	W LAND SU	RFACE MEAS	SURED ON mo/	day/yr:	10/2/2	0
	NE	Pı	imp test data:	Well wate	_		ft. after		s of pumping	0	gpn
<u>o</u>	i	Est. Yield:	gpm	Well wate	r was		ft. after	hour	s of pumping	@	gpm
w N	E	Bore Hole Diamete	er 12 i	n.	to 6	5 ft.	and	in.	t	0	ft.
3W	SE :	WELL WATER TO		Dublic wete		7 Lawn a	nd garden or	9. Dewater	8	Injectio	
	; ;			Oil field wa				10. Monitori		r (Spec	ify below
		Was a chemical/bacte				YES	NO		what mo/day	/yr was	sample
.		submitted					Vater Well Disi	nfected?	YES	NO	
5 TYPE OF CAS		5. Wrough	tiron 7. f	Fiberglass	9. Ot	her (Specify	below) C/	ASING JOINTS:	Glued	T	nreaded
1. Steel	3. RPN	(SR)		Concrete tile	SDE	R-26			Welded	С	lamped
2. PVC	> 4. ABS				,						_
Blank casing diamete			45 ft.,	Dia.	in.	to	ft.,	Dia.	in. to		ft.
Casing height above		12 _{in.,}	w	eight: 2	2.35 Ib	os. / ft.	Wali	thickness or gau	ge No. "	214	
TYPE OF SCREEN (OR PERFORAT 3. Stainless Ste		7. P	VC	9. AI	RS	11. (Other (specify)			
	. Galvanized	6. Concrete		RMP (SR)		sbestos-Cer		None used (oper	n hole)		
				(4)				(1)	,		
SCREEN OR PERFO			Gauzed wrappe	d	7 To	rch cut	9. Dr	illed holes	11. Nor	e (ope	n hole)
			•••		8. Sa			her (specify)			,
2. Louvered shutte	9r 4. Ki	ey punched 6.	Wire wrapped				10. 01	iiai (shaciiy)			
SCREEN - PERFORA	ATION INTERV	AL From	45 ft.	to	65	ft.,	From	ft.	to		ft.
		From	ft.	to		ft.,	From	ft.	to		ft.
GRAVEL PA	CK INTERVAL	S: From	45 ft.	to	65	ft.,	From	ft.	to		ft.
		From	ft.	to		ft.,	From	ft.	to		ft.
6 GROUT MATER	IALS: 1. N	leat cement	2. Cement G	irout	3	Bentonite		Other ben	tonite hole		
Grout Intervals:	From	`fL to	ft.,	From	ft.	to	ft.,	From 4	4 ft.	to 24	4 ft.
What is the nearest so 1. Septic tank	•	ile contamination: I teral lines	7. Pit privy	10	. Livestoc	k pens	13. Inse	cticide storage	15. Oil v	ell/Gas	well
2. Sewer lines			8. Sewage lagoo	on 11	l. Fuel sto	rage	14. Aba i	ndon water well	16. Othe	r (spec	ify below
3. Watertight sewe	-		9. Feed yard	12	2. Fertilize:	r storage					
Direction from well?	East	sabaga pir	•			_	How	many feet? 20	ft. plus		
From To		LITHOLOGI	C LOG		From	То		LITHOL	OGIC LO	}	
0 3	topsoil										
3 18	clay										
18 38 38 65	fine sand medium s	ond .							,	*****	
30 05	Intention S	and									
	 			-					····		
	1										
 		<u></u>				<u> </u>					
	<u> </u>										
											,
	<u> </u>					<u> </u>					
7 Contractor's or	Landowner's C	Certification: This water	er well was 1. Co	onstructed) 2. re	constructe	d or 3.	plugged	under my jur	isdiction	n and
was completed on	(mo/day/year)	10/2/2020	and t	this record is	s true to the	e best of my	knowledge an	d belief.			
Kansas Water Wel	l Contractor's L	icense No. 236	Th	nis water we	II record wa	as completed	d on (mo/day/y	ear) 10/	5/2020		
under the business	name of Ha	arp Well and Pu	mp Service		by (si	gnature)	7	rodd S	S. Ha	r h	