KOLAR Document ID: 1540961

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						ion Number Township Number Range Number					
County: 1/4 1/4 1/4							T S R DEDW				
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL WITH (SYN IN) 4 DEPTH OF COMPLETED WELL:											
WITH "2	X" IN			IPLETED WELL: Encountered: 1)			5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX. 2) ft. 3) ft., or 4) \Box					Vell Datum: WGS 84 NAD 83 NAD 27					
	WELL'S STATIC WATER LEVEL:					Sour	ce for	Latitude/Longitude:	:		
NW	I			-yr) -yr)			unit make/model: WAAS enabled?				
IN W	NE	Pump test data: Well water was ft.					Land Survey Topographic Map				
W	E	after	hours Well v				e Mapper:				
SW	SE	after									
		Estimated Y		Spin		6 Elevation:ft. Ground Level TOC					
5		Bore Hole D			Sour	Source: Land Survey GPS Topographic Map Other					
1 mile											
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease											
	☐ Household 6. ☐ Dewatering: how many wells?					11. Test	11. Test Hole: well ID				
	Lawn & Garden 7. Aquifer Recharge: well ID						Cased Uncased Geotechnical				
	□ Livestock 8. □ Monitoring: well ID 2. □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical				
3. 🗌 Feedlot	3. \Box Feedlot \Box Air Sparge \Box Soil Vapor I					b) (b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel PVC Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic 🗌	Fank	🗆 I	Lateral Line	es 🗌 Pit Privy		Livestock P			de Storage		
Sewer I			Cess Pool			Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:	1	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wat	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)		
		Send one copy to) WATER W	ELL OWNER and retain	one for your rec	cords. Fee of \$	55.00 fe	or each constructed we	11.		
-		nd Environment		Water, Geology Section, 10	000 SW Jackson	n St., Suite 420), Tope	ka, Kansas 66612-136		e 785-296-3565. SA 82a-1212	
visit us at n	<u>up.//www.kanel</u>	s.gov/waterwel	1/ muex.fitml						U.S.	n 02a-1212	