WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: FRACTION TOWNSHIP NUMBER SECTION NUMBER RANGE NUMBER Sedgwick SE NW NE **R 1W** 1/4 1/4 1/4 т 27 S E/W Distance and direction from nearest town or city street address of well if located within city? 2005 N. Stoney Point Wichita, Kansas SHOGREN, Ashley WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 2005 N. Stoney Point CITY, STATE: Wichita, Kansas ZIP CODE: 67212 Application Number: \* LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: ft. **ELEVATION:** WITH AN "X" IN SECTION BOX: ft. Depth of groundwater Encountered: ft. ft. WELL'S STATIC WATER LEVEL 21 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 11/25/20 ላ<sub>€</sub> Well water was Pump test data: NW ft. after hours of pumping @ apm <u>Φ</u> Est. Yield: gpm Well water was ft. after hours of pumping @ gpm 12 Ξ Bore Hole Diameter 70 and in. WELL WATER TO BE USED AS: 11. injection well 9. Dewatering SW SF-5. Public water supply . Lawn and garden only 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/vr was sample Was a chemical/bacteriological sample submitted to Department? NO submitted Was Water Well Disinfected? (YES) NO TYPE OF CASING USED: CASING JOINTS: Glued 9. Other (Specify below) Threaded 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1. Steel Welded Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 4. ABS 2. PVC Blank casing diameter 5 50 Dia Dia. in. to ft. Casing height above land surface: in.. 2.35 Weight: lbs. / ft. Wail thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 1. Steel 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 6. Concrete Tile 8. RMP (SR) 2 Brass 4. Galvanized 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL **50** 70 From ft., From ft. ft. From to ft. From ft to ft. 24 70 **GRAVEL PACK INTERVALS:** ft. to From ft.. From ft. to ft. From to ft. From ft. ft. **GROUT MATERIALS:** Other bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: ft. 24 From ft.. From ft. From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 11. Fuel atorage 16. Other (specify below) 8. Sewage lagoon 2. Sewer lines 5. Cess Pool 14. Abandon water well 3. Watertight sewer line 6. 9. Feed yard 12. Fertilizer storage 6. Seepage plt Direction from well? How many feet? 50 ft. plus From Τо LITHOLOGIC LOG LITHOLOGIC LOG From Τо topsoil clav 43 fine sand clav 47 medium sand plugged

Contractor's or Landowner's Certification: This water well was 1. 

Constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 11/25/2020 and this record is true to the best of my knowledge and belief.

Kansas Wester Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/27/20

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp