KOLAR Document ID: 1605204

					Division of Water				
		ge in Well Use		sources App. N		Well ID	- North -		
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4 1/4		ection Number	Township Numb		Range Number R □ E □ W		
2 WELL OWNER	· Last Name:	First:	· ·	ural Address v					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:	G	710							
City: 3 LOCATE WELL	State:	ZIP:							
WITH "X" IN	"IN 4 DEPTH OF COMPLETED WELL:				t. 5 Latitude:(decimal degrees)				
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)					
N		3) ft., or 4) [
	WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude: GPS (unit make/model:)				
NW NE									
	Pump test data: Well v	vater was f	t.	☐ Land Survey ☐ Topographic Map					
W X	after hours pumping gpm			□ Oı	Online Mapper:				
SW SE		Well water was ft. after hours pumping gpm							
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	Bore Hole Diameter:		ft. and						
mile		ft.		Other					
7 WELL WATER TO BE USED AS:									
1. Domestic:		ater Supply: well ID			Field Water Supply: 1				
☐ Household ☐ Lawn & Garden	<u> </u>								
Livestock					12. Geothermal: how many bores?				
2. ☐ Irrigation	_				a) Closed Loop				
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected?									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)									
Direction from well? ft.									
10 FROM TO	LITHOLO		FROM		LITHO. LOG (cont.) or		G INTERVALS		
			Notos						
		Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No									
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									