KOLAR Document ID: 1593956

	WELL R			WWC-5			sion of Wate						
		Correction		ge in Well Use			irces App. N			Well ID			
1 LOCATION OF WATER WELL:			Fraction	$\begin{array}{c c} raction \\ \hline 1/4 & 1/4 & 1/4 \end{array}$			on Number Township Number T S			ige Number			
						$\begin{array}{c c c c c c c c c c c c c c c c c c c $							
							rection from nearest town or intersection): If at owner's address, check here:						
Address:								rection nonn nearest town of intersection). If at owner 5 address, eneck here.					
Address:													
City:			State:	ZIP:									
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:		ft.	5 Latit	nde.			(decimal degrees)		
WITH "X" IN SECTION BOX:											-		
	N 2) ft. 3) ft., or					ell		Datum: 🗌 WGS 84 🛛 NAD 83 🗌 NAD 27					
		WELL'S ST			Source for Latitude/Longitude:								
		 below land surface, measured on (mo-day-yr). above land surface, measured on (mo-day-yr). 											
NW	NE	Pump test data: Well water was ft.					······ (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				io)		
w	Е	after hours pumping											
1 X '		Well water was ft.					Online Mapper:						
SW	SE	after hours pumping gpm					6 Elevation: 6 Cound Level D TOC						
		Estimated Yield:gpm				6 Elevation:							
	S milo	Bore Hole Diameter: in. to				$\square \text{ Other } \dots \square \text{ Call Survey} \square \text{ Or S} \square \text{ Topographic M}$							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 													
	☐ Household 6. ☐ Dewatering: how many wells?												
			7. Aquifer Recharge: well ID							sed Geotechnical			
	Livestock 8. Monitoring: well II								al: how many bores				
	2. Irrigation 9. Environmental Remediation: well I								Loop Horizont				
3.							b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter													
Casing diameter in. to it., Diameter in. to it., Diameter it. Diameter it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
		Key Punch		Vire Wrapped \Box S n ft. to	Saw Cut		one (Open H			ft to	ft		
				n ft. to									
				Cement grout \Box H									
				ft., From									
		e contaminatio		potential source of co									
Septic '			Lateral Line				livestock Pe			cide Storage			
Sewer			Cess Pool	Sewage L			fuel Storage			oned Water			
	ight Sewer Lin		eepage Pit			ΠF	Fertilizer Sto	orage	□ Oil We	ll/Gas Well			
				Distance from					ft				
10 FROM	TO		ITHOLOG		FRO		TO		HO. LOG (cont.) or		G INTERVALS		
	-												
Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under my i	urisdiction ar	id was compl	eted on (m	o-day-year)	•1 4. 11115	and th	his record	_ cc is tri	ie to the best of m	v knowled	ge and belief		
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No													
	usiness name	of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
		ks.gov/waterwell			1000 D W Ja		, 5une 420,	rohe			SA 82a-1212		