KOLAR Document ID: 1637034

WATER		ECORD Correction		WWC-5 te in Well Use		vision of Wa			Well ID		
				Fraction		Resources App. No Section Number		Township Numbe		ge Number	
1LOCATION OF WATER WELL:FractionCounty:1/41/4							$\begin{array}{c c} T & S & R & \Box E & \Box W \\ \end{array}$				
	DWNER: La	ast Name:		First:		or Rural Address where well is located (if unknown, distance and					
Business:		ist i vuille.		1 1150.		irection from nearest town or intersection): If at owner's address, check here:					
Address:									,		
Address: City:			State:	ZIP:							
3 LOCATE											
WITH "X				t		5 Latitude:(decimal degrees)					
SECTION		Depth(s) Gr		Long	Longitude:(decimal degrees)						
Ν		2) ft. 3) ft., or 4) □ Dry Well WELL'S STATIC WATER LEVEL: ft.					Datum: WGS 84 INAD 83 NAD 27				
			, measured on (mo-day-		Source for Latitude/Longitude:						
NW	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? \Box Yes \Box No)				
	X	Pump test data: Well water was ft.					□ Land Survey □ Topographic Map				
w	E	after	s pumping		Online Mapper:						
SW	SE	Well water was ft.									
		after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
S		Bore Hole Diameter: in. to ft. and					Source: Land Survey GPS Topographic Map				
1 mi	ile	in. to ft.				Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:				ter Supply: well ID							
Househo					11. Test Hole: well ID						
□ Lawn & □ Livestoo						Cased Uncased Geotechnical 12. Geothermal: how many bores?					
2. Irrigatio								l Loop 🔲 Horizonta			
3. \Box Feedlot			Air Sparge	Extraction		b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. 🗌 Industria	al		Recovery		13. 🗖 C	13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From											
		e contaminati		potential source of cor			1		It.		
Septic T			Lateral Line			Livestock P	ens	Insectici	ide Storage		
Sewer L			Cess Pool	Sewage La		Fuel Storag		Abandon Abandon	ned Water	Well	
	ght Sewer Lin		Seepage Pit			Fertilizer St	orage	e 🗌 Oil Well	l/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		THO. LOG (cont.) or	PLUGGIN	GINTERVALS	
	10	-			TROM	10				Shtillitill	
 							L				
-							<u> </u>				
					Notes:						
					Trotes:						
				S CERTIFICATION							
under my ju	risdiction an	d was compl	eted on (n	no-day-year)	and	l this record	is tru	ue to the best of my	knowled	ge and belief.	
Kansas Wate	er Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	eted on (mo-day-ye	ar)	•••••	
		Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of \$	 5.00 f	for each constructed wel	<u></u> 1.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
I Visit us at htt	tp://www.kdhel	ks.gov/waterwel	I/index.html						KS	SA 82a-1212	