	_		WWC-5		Division of Water			Well ID		
			ge in Well Use Fraction	1		rces App. No on Number	Township Number		nge Number	
1 LOCATION OF WATER WELL: County: Sedgwick				NE 1/4	5ecu	on Number	T 27 S	R 1		
		ast Name: MC GUIRE		-	or Rural Address where well is located (if unknown, distance and					
Business: direction from nearest town or intersection): If at owner's address, check here:										
Address: 2822 N. Bellwood St.										
Address: City:	Wighita	Stote: Kans	sas ZIP: 67205							
3 LOCATE	Wichita EWELL	T				T				
WITH "X" IN 4 DEPTH OF COMPLETED WELL:										
				Encountered: 1) ft.			Longitude: ¬97.447.56			
N 2)			3) ft., or 4) ☐ Dry Well ATER LEVEL: 26 ft.			Source for Latitude/Longitude:				
		below land surface	below land surface, measured on (mo-day-yr).09/0			22. GPS (unit make/model: iPhone))	
NW	NE		above land surface, measured on (mo-day-yr)				(WAAS enabled? □			
			ump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:				
W	E		afterhours pumpinggpm Well water wasft.							
SW	SE		after hours pumping gpm							
			Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC				
5	3	Bore Hole Diameter:	ore Hole Diameter: in. to ft. and			Source: ☐ Land Survey ■ GPS ☐ Topographic Map				
1 n	,		in. to	in. to ft.						
7 WELL WATER TO BE USED AS:										
1. Domestic:	** = * *** = ****									
							d Uncased Geotechnical			
						mal: how many bores?				
2. 🗌 Irrigati	☐ Irrigation 9. Environmental Remediation: well ID									
_	B. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extra					b) Open Loop				
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter . 5 in. to										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From 75 ft. to 85 ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From 24 ft. to 85 ft., From ft. to ft. ft. o ft.										
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other										
Grout Intervals: From4										
Nearest source of possible contamination:										
☐ Septic ☐ Sewer		☐ Lateral Lir ☐ Cess Pool		2000		Livestock Per Fuel Storage				
	ight Sewer L			goon		Fertilizer Stor				
☐ Other (Specify)										
Direction from well? South										
10 FROM	TO		OGIC LOG	FRO	M	ТО	LITHO. LOG (cont.) or	PLUGGIN	IG INTERVALS	
0		topsoil								
3 28		clay fine sand		-						
70		medium sand								
				Notes	3:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗷 constructed, \Box reconstructed, or \Box plugged										
under my jurisdiction and was completed on (mo-day-year) 99/.22/.2022 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No236 This Water Well Record was completed on (mo-day-year) 9/.5/.2022										
under the h	usiness nar	ntractor's License No ne of	Vell and Pump Service	well Red Ce	ora w	vas complete nature Joo	d on (mo-day-year) 9.1 ld S. Havo	.43.4944		
Mail I v	white copy alor	ng with a fee of \$5.00 for each	h constructed well to: Kansa	s Departn	ent of	Health and En	vironment, Bureau of Water	er, GWTS Se	ection,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										