	~	ä	WAT	TER WELL RECORD	Form WWC-5	5 KSA 82a	-1212	, in the second	
LOCATION OF	WAT	ER WELL:	Fraction			tion Number	Township Nun	nber	Range Number
ounty: Kingr			NW.		NW 1/4	_ 29		7-s	R 10 E(W)
Distance and dire	ection	from nearest to	wn or city street	address of well if local	ed within city?		-		
2½ miles	Nor	th & 🗦 Wes	st of Cunni	ingham, South	side of ro	ad.			
		NER: Jack							
RR#, St. Addres	s, Box	# : R.R.					Board of Agr	riculture, Di	vision of Water Resource
City, State, ZIP	Code	: Cunni	ingham, Ks	67035			Application N	lumber:	
LOCATE WEL	L'S LC	CATION WITH	4 DEPTH OF	COMPLETED WELL		5 ft. ELEVA	TION:		
AN "X" IN SE	CTION	BOX:	Depth(s) Groun	ndwater Encountered	1	ft. 2	2	ft. 3.	
i !	х	1	WELL'S STAT	IC WATER LEVEL	4差. ft. b	elow land sur	face measured on n	no/day/yr	10/4/89
 NW	, 1	l l	Pui	mp test data: Well wa	ter was	ft. at	fter	hours pur	ping gpm
NW		NE							pping gpm
<u> </u>	1	_ i l.							to
W			WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning	11 lr	njection well
SVA		1	■ Domesti	c 3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 0	ther (Specify below)
3W		35	2 Irrigation	n 4 Industrial	7 Lawn and	garden only 1	0 Observation well		
		1	Was a chemica	al/bacteriological sample	submitted to D	epartment? Ye	esNo. ∡	; If yes, r	mo/day/yr sample was sui
	S		mitted			Wat	ter Well Disinfected?	Yes 🗶	No
TYPE OF BL	ANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN	TS: Glued	x Clamped
1 Steel		3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below	v)	Welded	j
32 PVC		4 ABS		7 Fiberglass				Thread	led
Blank casing dia	meter	5 .	.in. to Q . +.	27 ft., Dia	in. to		ft., Dia	in	ı. to ft.
Casing height ab	ove la	nd surface	18.	in., weight		1 60 lbs./i	ft. Wall thickness or	gauge No.	
TYPE OF SCRE	EN OF	R PERFORATIO	ON MATERIAL:		౫ ₹ PV	C	10 Asbes	stos-cemen	t
1 Steel		3 Stainles	ss steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify) .	
2 Brass		4 Galvani:	zed steel	6 Concrete tile	• 9 AB	S	12 None	used (ope	n hole)
CREEN OR PE	RFOR	ATION OPENIN	NGS ARE:	5 Gau	zed wrapped		★ Saw cut		11 None (open hole)
1 Continuo	us slot	: 3 N	∕III slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered	shutte	er 4K	Key punched	7 Tord					
SCREEN-PERFO	RATE	D INTERVALS:							
GRAVE	L PAC	K INTERVALS	: From			• •		ft. to	
	_		From	ft. to		ft., Fror	<u>n</u>	ft. to	ft
J GROUT MATI				★ Cement grout					
Grout Intervals:				22. ft., From	ft.				. ft. to
What is the near	est so	urce of possible	contamination:			10 Livest	tock pens		andoned water well
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			•	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		, ,	
3 Watertigh	t sewe	er lines 6 Seep	page pit	9 Feedyard			•		ne
Direction from w			LITUOLOGI	2.1.00		How mar			2.1.00
FROM TO		<u> </u>	LITHOLOGI	J LOG	FROM	ТО	LI	THOLOGIC	J LOG
- 2	-21	Top soil							
2 1	6	Brown cla	Ly						
6	9	Sand							· · · · · · · · · · · · · · · · · · ·
9		Clay - br	·						
12		Sand & gr	avel						
18		Clay				-		A-191-A	
21				eaks of clay		 			· · · · · · · · · · · · · · · · · · ·
37	45	Blue gray	7 стал			+		-	
	\dashv								
	\dashv					 			
	-+				<u> </u>	 	_ .		
						 			
	\dashv					 			
						L			
CONTRACTO	R'S C	R LANDOWNE	R'S CERTIFICA	TION: This water well	was (3) constru	cted, (2) reco	nstructed, or (3) plu	gged unde	r my jurisdiction and wa
completed on (m	o/day/y	year)0c.tq	ber. 4, 198	89		and this reco	rd is true to the best	of my know	wledge and belief. Kansa
Vater Well Contr	actor's	License No	.134	This Water	Well Record wa	s completed	on (mo/day/yr) O.c.	tober 1	1. 1989
nder the busine	ss nar	ne of Rosenc	rantz-Bemi	s Enterprise		by (signat	ture) Dage	D	die
INSTRUCTIONS	: Use ty	pewriter or ball poi	int pen. <i>PLEASE PF</i>	RESS FIRMLY and PRINT of	early. Please fill in	blanks, underlin	e or circle the correct ar	swers. Send	top three copies to Kansas
Department of He	anth and	z Environment. Off	iice of Uii Field and E	Environmental Geology, Rec	juiation and Permi	ung Section, Top	река, Kansas 66620-750	Ju, i elephon	e; 913-862-9360. Send one
		ER and retain one	for your records						