


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Kingman	NW 1/4 NE 1/4 NE 1/4	22 5	T 28 S	R 10 E

Distance and direction from nearest town or city street address of well if located within city?

Approx. 56 ft. North & 1 ft West from SW Corner of Garage

HWST Job No.: 74-40/4016.01

2 WATER WELL OWNER:	UNIFIED SCHOOL DISTRICT NO. 332	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :		Application Number:
City, State, ZIP Code :	Cunningham, Kansas 67035	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 27.0 ft. ELEVATION: n/a
	Depth(s) Groundwater Encountered 1. 26.0 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 23.79 ft. below land surface measured on mo/day/yr 6/22/90
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 6 in. to 27.0 ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 18 Monitoring well MW-3
	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded X
Blank casing diameter 2.0 in. to 17.0 ft., Dia				
Casing height above land surface flush in., weight lbs./ft. Wall thickness or gauge No. Sch 40				
TYPE OF SCREEN OR PERFORATION MATERIAL:	X PVC	10 Asbestos-cement		
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From 27.0 ft. to 17.0 ft.			
	From ft. to ft.			
GRAVEL PACK INTERVALS:	From 27.0 ft. to 15.0 ft.			
	From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	X Bentonite	4 Other
Grout Intervals:	From 13.0 ft. to grade ft.	From ft. to ft.	From ft. to ft.	
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	Abandoned Fuel Storage
Direction from well? South			How many feet? 56.0	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	8.0	SILTY CLAY: very light brown to light green; less than 20% sand; moist.			
8.0	11.0	GRAVELLY SAND: brown; fines pebbles; very coarse sand; wet.			
11.0	13.0	SILTY CLAY: reddish-brown; less than 10% very coarse sand; wet.			
13.0	19.0	GRAVEL/SANDY GRAVEL: reddish-brown to brown; fine pebbles; coarse sand; wet.			
19.0	22.0	SILTY CLAY: light brown; wet.			
22.0	27.0	GRAVELLY SAND: medium brown; saturated.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/14/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 471 This Water Well Record was completed on (mo/day/yr) 7/26/90 under the business name of HWS Technologies Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.