		ECORD				Division of Water						
Original Record Correction Change in Well Use					Resources App. No.							
1 LOCATION OF WATER WELL: Fraction							per 10	wnship Numb		-		
County: KingmAn 1/4 1/4 C 1/ NE1/4 20 T 27 S R /ODE X												
2 WELL OWNER: Last Name: OSNER First: JASON Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:										check here:		
Business: Address	Address: 2503 NW 170 Ave.						2 by miles North of Cunningham KS.					
Address:												
City: Cumingham State: KS ZIP: 67035 1/4 mile west to well												
3 LOCATE WELL / A DEPTH OF COMPLETED WELL: /05 ft 5 Latitude: (decimal degrees)												
Denth(a) Crown dwater En countered (1)												
	SECTION BOA: (2)											
1	Well'S STATIC WATER LEVEL:					ft Source for Latitude/Longitude:						
		X below	and surface.	measured on (mo-day	(-vr)/1-15-1)		
NW	NW Me above land surface, measured on (mo-c											
Pump test data:				ater was	ft.		□ Land Survey □ Topographic Map					
w	E after hours pumping						Online Mapper:					
SW	SF											
	SWSE Estimated Yield:					6 Flav	ation	A	Ground			
Estimated Yiel			(1eld:	5/8 in. to 105	- A	and 6 Elevation:ft. Ground Level [Source: Land Survey GPS Topograph						
S Bore Hole Dia					ft. and	$\hat{\mathbf{H}}$						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease												
□ Household 6. □ Dewatering: how many wells?												
	□ Lawn & Garden 7. □ Aquifer Recharge: well ID							Uncased C				
Livest				: well ID								
	2. Irrigation 9. Environmental Remediation: well ID											
3. Feedlot Air Sparge Soil Vapor E												
4. 🗌 Indust	rial] Recovery					ify):				
Was a chemical/bacteriological sample submitted to KDHE? 🗆 Yes 🕅 No If yes, date sample was submitted:												
Water well disinfected? X Yes INO												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass ▷ C □ Other (Specify)												
Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to												
GRAVEL PACK INTERVALS: From 195 ft. to												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic					-	T			. J			
Sewer 1			Lateral Lines Cess Pool	Pit Privy		Livestock P Fuel Storag		☐ Insectic ☐ Abando	-	Vell		
	ight Sewer Lir	—	Seepage Pit	☐ Sewage L ☐ Feedyard	÷ —	Fuel Storag				N CII		
Direction from well?												
10 FROM	TO	I	ITHOLOG	IC LOG	FROM	TO	LITHO.	LOG (cont.) or	PLUGGIN	G INTERVALS		
0	5			Top Soil	95	105	+	- CIAY				
5	15	COArse	- SANC									
15	25	med	SANd									
5 15 25	35	White CLAY										
35	50	Vellow Clay										
50	70	Fire TAN SANd					1					
50 70	80	Med. gravel			Notes:	I	L					
80 B5 Ton Sandy Clay												
BS 95 Fine Sand												
11 CONT	OR LANDO	CERTIFICATIO	N: This wate	r well was	Constru	ucted, 🗌 recon	nstructed.	or 🗌 plugged				
under my jurisdiction and was completed on (mo-day-year)												
Kansas Wa	ter Well Cor	tractor's Lice	ense No	77. This W	ater Well Re	cord was co	mpleted	m (mo-day-ye	ar)	78		
				ten well s				w /ill	And the second second			
				constructed well to: Ka					GWTS 306			
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdbcks.gov/waterwell/index.html KSA 82a-12.12. Revised 7/10/2015												