WATER	R WELL RE	CCORD	Form WWC	-5	Division of Water Resources; App. No.			
1 LOCATION OF WATER WELL:		Fraction NE 1/4 SE 1/4 S	2). //	Section Number				
Distance and direction from nearest town or city			ity street address of w		Tabal Positioning	T 27 S Systems (decimal deg	R E/W	
locate	d within city?		•	CII II	Latitude:	g Systems (decimal deg	rees, min. of 4 digits)	
5 N	¥ 7%	Wof Cunnin	ngham, KS		Longitude:			
2 WATER WELL OWNER: Bonnie G RR#, St. Address, Box # : 303 5 K			Suthrie	Elevation:				
RR#,	St. Address, B	ox# : 303_5 K	eystane st.		Datum:			
City,	State, ZIP Coc	e Stational	IRS 6757		Data Collection			
	ATE WELL'S	4 DEPTH OF COM	PLETED WELL	····5	ft	•		
1	ATION H AN "X" IN	Depth(s) Groundwater	r Encountered (1)	17	ft (2)	ft (3)	Ð	
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N Pump test data: Well water wasft. after hours pumping						gpm	
	Est. Yield. 10gpm: Well water wasft. after hours pumping							
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
W	W E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
l cw								
SW	Was a chemical/bacteriological sample submitted to Department? Yes							
	Sample was submitted Water well disinfected? Yes No							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped								
1	OF CASING	USED: 5 Wrought	Iron 8 Cone	crete tile	CASIN	IG JOINTS: Glued		
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
Blank casing diameter								
2 PVC 4 ABS 5 7 Fiberglass Threaded. Blank casing diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight lbs./ft. Wall thickness or guage No. 160. psf.								
1 TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
1	Watertight sew	5 Cess pool er lines 6 Seepage pit		11 Fuel st	•	handoned water well oil well/gas well	below)	
	from well?				y feet?	140		
FROM	TO	LITHOLOGIC	CLOG	FROM	TO	PLUGGING INT	ERVALS	
_2	3	Sandy 50	;					
3	12	medium	sand,					
12	73	sand al	nd graves	,				
7 17 15 22 29 32	79	Fine Sond	b <i>rown c</i> lay	4				
29	32	Sand						
32	39	Fine sand	•					
39	52	clean san	d					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) . 6 18.67. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No								
Kansas Water Well Contractor's License No								
under the business name of Lyman S Tree by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill it blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka Mansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								